Aboulhosn L see Mancinelli CA
Abraham K see Booker K
Abt JP see McCrory JL
Abt JP see Sells TS
Adams JM, Hart P, Daniels K, Dinh P, Farwell D. The effects of scapular taping on EMG activity of the shoulder muscles during elevation in subjects with impingement [abstract]. 33(2):A27.
Ajai R see Harding L
Albert MS. Advanced fitness assessment and exercise prescription, 4th edition [book review]. 33(9):549-550.
Albert MS. Endurance in sport, 2nd edition [book review]. 33(1):64.
Alderink GJ. Performance-enhancing substances in sport and exercise [book review]. 33(5):295-296.
Alderink GJ. Physical therapy of the cervical and thoracic spine, 3rd edition [book review]. 33(11):702.
Alexander KM see Creelman J
Allen AN, Julien R, Khafizov D, Ojugo E, Lombardo G. The relationship between fingertip tactile spatial resolution and consistency of palpation [abstract]. 33(2):A28.
Allen MK see Glasoe WM
Allen RH, Gross MT. Toe flexor strength and passive extension of the first metatarsophalangeal joint in subjects with plantar fasciitis [abstract]. 33(2):A54.
Allen RH, Gross MT. Toe flexors strength and passive extension range of motion of the first metatarsophalangeal joint in individuals with plantar fasciitis. 33(8):468-478.
Allison SC see Langford BJ
Almekinders LC. Musculoskeletal injection skills [book review]. 33(11):704.
Amirfazli A see Otto D
Amundson FM, Olson V, Chu D, Thein Brody L, Sisto S. The effectiveness of a prevent injury and enhance performance (PEP) program on the neuromuscular performance of 14- to 18-year-old female high school basketball players [abstract]. 33(2):A48.
Andersen CF see Ekstrom RA
Andersen JC see Brantley S
Anderson K see Prapavessis H
Andrews JR see Hooks TR
Andrews JR see Reinold MM
Andriacchi TP, Chaudhari AM. Invited commentary. 33(5):283-284.
Andriacchi TP see Chaudhari AM
Appling SA, Fann CM, Ferguson DM, Connell LF, Kent TA, Tinkle CE. Intrarater and interrater reliability of the dual inclinometer method of lumbar spine range of motion assessment in nonimpaired adults [abstract]. 33(2):A28.
Arcement C see Dunn S
Armelino R. Use of specific T'ai Chi exercises (T'ai Chi Rehab(tm)) for the rehabilitation of 3 patients with chronic pain [abstract]. 33(2):A28-A29.
Arnold BL see Van Lunen BL
Ashby P see Davis DS
Aubert E. Tachdjian's pediatric orthopaedics, 3rd edition, volumes 1-3 [book review]. 33(3):157-158.
Axe MJ, Wickham R, Snyder-Mackler L, Hurd WJ. Data-based interval hitting program for volleyball players [abstract]. 33(2):A52.

Backes SJ see Sell KE
Backstrom KM see Jordan SL
Bagnall K see Otto D
Bahr R see Myklebust G
Baker C see Rodda BJ
Bal GK see Papazis JA
Ballantyne BT see Lloyd Ireland M
Bandy WD see Reese NB
Banks K, Gieringer R, Musket M, Stackhouse SK, Eastlack ME, Lee SCK. Comparison of 2 methods to quantify voluntary muscle activation of the quadriceps femoris in young adults [abstract]. 33(2):A8.
Banks K, Gieringer R, Musket M, Stackhouse SK, Eastlack ME, Lee SCK. Comparison of stimulation patterns used to assess voluntary muscle activation of the quadriceps femoris [abstract]. 33(2):A8-A9.
Banks S see Mitchell K
Baratta R see LeBlanc N
Barbe M see Harding L
Barh R see Krosshaug T
Barnes AA see Hoogenboom BJ
Barnes E see Nawoczenski DA
Barr JB, Wagner JT, Miller S, Jensen GM, Tichenor CJ. Clinical reasoning in orthopedics: a comparison of therapists with and without clinical residency training [abstract]. 33(2):A25.
Barrentine SW see Hooks TR
Bassile CC see Sandow ER
Baxter RE, Moore JH. Diagnosis and treatment of acute exertional rhabdomyolysis. 33(3):104-108.
Baxter RE, Moore JH. Identification and treatment of acute exertional rhabdomyolysis in a direct access physical therapy setting [abstract]. 33(2):A54-A55.
Baxter RE, Moore JH, Pendergrass TL, Crowder TA, Lynch S. Improvement in sit-up performance associated with 2 different training regimens. 33(1):40-47.
Baxter RE see Moore JH
Becker M. Therapeutic modalities for physical therapists, 2nd edition [book review]. 33(3):158.
Behenna J see Wilmarth MA
Bennett MJ see Parker MG

Berger JC see McDonough AL
Bernard KD see Merrick MA
Best TM see Sherry MA
Beynnon BD. Risk factors for knee ligament trauma: keynote address I [supplement]. 33(8):A10-A12.
Bialker J see Kelley M
Bialosky J see George SZ
Bielefeld T see Neumann DA
Bifulco KM see Ekstrom RA
Birke JA, Fred BA, Krieger LA, Sliman KD. The effectiveness of an accommodative dressing in off-loading pressure over area of previous ulceration [abstract]. 33(2):A16.
Bishop KN. Daniels and Worthingham's muscle testing: techniques of manual examination, 7th edition [book review]. 33(3):156-157.
Bizzini MB, Childs JD, Piva SR, Delitto A. Systematic review of the quality of randomized controlled trials for patellofemoral pain syndrome. 33(1):4-20.
Bizzini MB, Childs JD, Piva SR, Delitto A. Systematic review of the quality of randomized controlled trials for patellofemoral pain syndrome-part I [abstract]. 33(2):A9-A10.
Bizzini MB see Childs JD
Black DW, Mullenix KL. Rehabilitation following surgical intervention for patellar instability in a Division I football player: a case study [abstract]. 33(2):A49.
Bloom NJ see Van Dillen LR
Boeglin Jr. ER. Exercise-induced asthma: pathophysiology and treatment [book review]. 33(9):550.
Bomgardner RK see Hubbard JK
Booker K, Dandy K, Magnes D, Meade T, Sherman L, Wolff-Burke M, Abraham K, Cestaro J. The impact of self-reported phantom limb pain on function among subjects with lower-extremity amputations [abstract]. 33(2):A15-A16.
Bork CE see Volansky KJ
Borne S see Pariser G
Borstad JD, Ludewig PM. Effects of a home exercise program on shoulder kinematics in construction workers [abstract]. 33(2):A22.
Bouley PJ see Jordan SL
Boyle KL, Lewis C, Jansa S, Lauseng C. Management of a female diagnosed with trochanteric bursitis with the use of a Protonics(r) neuromuscular system [abstract]. 33(2):A29.
Brackken IH see Myklebust G
Brady RJ, Dean JB, Skinner TM, Gross MT. Limb length inequality: clinical implications for assessment and intervention. 33(5):221-234.
Brajuha A, Nitz AJ, Uhl TL, Mattacola CG. EMG analysis of 4 muscles during 3 prescribed core stabilization exercises [abstract]. 33(2):A7-A8.
Branck N, McSweeney SM, Paone JD, Randall K, Mattson DJ. The relationship between soft tissue and structural findings at the patellofemoral joint in an adolescent female athletic population [abstract]. 33(2):A56-A57.
Brannon KD, Hughes LS, Crutcher TT, Seahorn J, Donachy JE, Christian EL. Strength and endurance training of an individual with left upper and lower limb amputations: a case report [abstract]. 33(2):A56-A57.
Brannon KD see LeVeau BF
Brantley S, Crawford C, Joslyn E, Mincer AB, Andersen JC, Lake DA. The acute effects of diathermy and stretch versus stretch alone of the hamstring muscle [abstract]. 33(2):A29.
Braun B see Pollard C
Brennan GP, Fritz JM, Thackeray A, Hunter SJ, Erhard RE, Delitto A. A randomized trial of treatment-based classification for patients with low back pain: interrater reliability of examination variables [abstract]. 33(2):A2.
Brennan GP, Fritz JM, Thackeray A, Hunter SJ, Erhard RE, Delitto A. A randomized trial of treatment-based classification for patients with low back pain: preliminary results [abstract]. 33(2):A3.
Bringman DA, Carver JA, Thompson AW, Tucker DA, Wright LL. The effects of acetic acid iontophoresis on a heel spur: a single-subject design study [abstract]. 33(2):A27.
Bronner S see Ojofeitimi S
Bronner S see Sandow ER
Bronner S, Ojofeitimi S, Rose D. Injuries in a modern dance company: effect of comprehensive management [abstract]. 33(2):A24-A25.
Bronner S, Spriggs J, Ojofeitimi S. Outcome measures in healthy and injured elite dancers: DFOS and SF-36 [abstract]. 33(2):A24.
Brooksbank J see Vicenzino B
Brownstein B see Ojofeitimi S
Buckwalter JA. Sports, joint injury, and posttraumatic osteoarthritis. 33(10):578-588.
Burns J, Keenan AM, Redmond AC. Factors associated with triathlon-related overuse injuries. 33(4):177-184.
Butts K see Kulig K
Butts K see Powers CM

Cade DL see Musselman AE
Cahalan TD. A guide to understanding dietary supplements [book review]. 33(7):427-428.
Caldwell CA see Van Dillen LR
Camarillo DB see Chaudhari AM
Cameron KL. Physiological aspects of sport training and performance [book review]. 33(9):547-548.
Carcia CR see Shultz SJ

Carey A see Sidaway B
Carey TS see Freburger JK
Carter N see Wilson T
Carver JA see Bringman DA
Carver TJ see Uhl TL
Castelberg E, Heitzman A, Herod H, Leiberman A, Meyers B, Stemp C. Predisposing factors for performance-related injuries in musicians [abstract]. 33(2):A29-A30.
Cathcart D see Dunn S
Cecil G see Freburger JK
Cestaro J see Booker K
Chandran R see Yack HJ
Chaney WL see Jordan SL
Chang AH, Lin AF, Makhsous M, Koh JL, Zhang L-Q. Patellar tracking induced by selective activation of vastus medialis oblique and vastus lateralis in subjects with patellofemoral pain syndrome [abstract]. 33(2):A10
Chang H see Cheing GLY
Charles JR see McDonough AL
Chaudhari AM, Camarillo DB, Hearn BK, Leveille L, Andriacchi TP. The mechanical consequences of gender difference in single limb alignment during landing [abstract]. 33(8):A25-A26.
Chaudhari A see Andriacchi T
Cheing GLY, Chang H. Extracorporeal shock wave therapy. 33(6):337-343.
Chen CC see Cho CY
Chen K see Kulig K
Chen K see Powers CM
Chevan J. Physical therapy referrals from orthopedic surgeons. An analysis of data from the national ambulatory medical care survey [abstract]. 33(2):A26
Cheville A see Kelley M
Chiarello CM. Kinesiology of the musculoskeletal system: foundations for physical rehabilitation. 33(5):296-297.
Chiarello CM. Postpartum health for moms: an instructional and exercise class for restoring the core [book review]. 33(1):65.
Childs JD, Fritz JM, Piva SR, Erhard RE. Clinical decision making in the identification of patients likely to benefit from spinal manipulation: a traditional versus an evidence-based approach. 33(5):259-272.
Childs JD, Fritz JM, Piva SR, Erhard RE. Clinical decision-making in the identification of patients likely to benefit from spinal manipulation: a traditional versus an evidence-based approach [abstract]. 33(2):A20-A21.
Childs JD, Piva SR, Bizzini MB, Delitto A. Systematic review of the quality of randomized controlled trials for patellofemoral pain syndrome - part II: implications for the conduct of clinical trials [abstract]. 33(2):A10.
Childs JD see Bizzini MB
Childs JD see Fritz JM
Childs JD, Sparto PJ, Fitzgerald GK, Bizzini MB. Alterations in lower-extremity movement and muscle activation patterns in individuals with knee osteoarthritis [abstract]. 33(2):A11-A12.
Childs JD, Sparto PJ, Fitzgerald GK, Bizzini MB. The relationship between alterations in lower-extremity movement and muscle activation patterns in individuals with knee osteoarthritis and self-report and performance-based measures of function and disability [abstract]. 33(2):A11.
Chmielewski TL, Snyder-Mackler L. Mechanism underlying the effect of neuromuscular training to prevent knee injury [abstract]. 33(2):A56.
Cho CY, Hwang IS, Chen CC. The association between psychological distress and musculoskeletal symptoms experienced by Chinese high school students. 33(6):344-353.
Christian EL see Brannon KD
Christie III DS see Langford BJ
Chu D see Amundson FM
Cieminski CJ. Knee extension range of motion loss after cessation of a hamstring stretching program: a comparison of 3 stretches [abstract]. 33(2):A48-A49.
Cipriani D. Running [book review]. 33(10):630.
Clancy J see Sidaway B
Clark M see Smith, Jr. AR
Cleary CM see Jordan SL
Cleland J see Fritz JM
Clifford SN, Fritz JM. Children and adolescents with low back pain: a descriptive study of physical examination and outcome measurement. 33(9):513-522.
Clifford SN, Fritz JM. Clinical presentation, classification, and treatment of children and adolescents with mechanical low back pain [abstract]. 33(2):A4.
Clifford SN, Fritz JM, Vignovic M. The clinical presentation and management of "pseudo"-spondylolisthesis: a case report [abstract]. 33(2):A53.
Cloutier JS, Hanson MT. Correlation of self-reported numeric pain scales to perceived improvement of symptoms [abstract]. 33(2):A30.
Coderre N see Hall KD
Conley T see Packroni CA
Connell LF see Appling SA
Conole S see Raya MA

Cook KF, Roddey TS, Gartsman GM, Olson SL. Development and psychometric evaluation of the flexi-level scale of shoulder function [abstract]. 33(2):A30.
Coppieters MW, Stappaerts KH, Wouters LL, Janssens K. The immediate effects of a cervical lateral glide treatment technique in patients with neurogenic cervicobrachial pain. 33(7):369-378.
Corio FM, Giannetta S. Rehabilitation of a patient with posterior tibial tendon dysfunction after surgical correction [abstract]. 33(2):A30-A31.
Cornwall MW, McPoil TG, Fishco WD, Hunt L, Lane C, O'Donnell D. Reliability of measuring forefoot alignment and its effect in rearfoot motion during walking [abstract]. 33(2):A13-A14.
Cornwall MW see McPoil TG
Courtney C, Rine RM, Kroll PK. Preliminary evidence of altered muscle activation patterns and central changes in ACL-deficient subjects with good functional outcome [abstract]. 33(2):A31.
Cowan JE see Langford BJ
Cowan S. Invited commentary. 33(8):444-445.
Cowling EJ, Steele JR. Is lower limb muscle synchrony during landing affected by gender? Implications for variations in ACL injury rates [abstract]. 33(8):A21.
Cowling EJ, Steele JR, McNair PJ. Can lower limb muscles be retrained during landing as a means of anterior cruciate ligament injury prevention? [abstract]. 33(8):A29-A30.
Crawford C see Brantley S
Crawley J see McDonough AL
Creelman J, King S, Martin P, Alexander KM. Trunk muscle recruitment patterns during bridging exercise variants [abstract]. 33(2):A31-A32.
Crenshaw K see Reinold MM
Crotty DM see Reidy AR
Crowder TA see Baxter RE
Crowley ET. Rehabilitation of sports injuries: scientific basis [book review]. 33(10):629-630.
Crutcher TT see Brannon KD
Csintalan RP see Lee TQ
Cuccaro JE see Miller DJ
Curl LA see Romani W

Dandy K see Booker K
Daniels K see Adams JM
Davies GJ see Matheson JW
Davis DS, Ashby P, McCale K, McQuain J, Wine J. The effectiveness of 3 stretching techniques on hamstring flexibility [abstract]. 33(2):A57.
De Bellis J see McDonough AL
de Weijer VC, Gorniak GC, Shamus E. The effect of static stretch and warm-up exercise on hamstring length over the course of 24 hours. 33(12):727-733.
Dean JB see Brady RJ
DeBerardino TE see Moore JH
Dec K see Wilson E
DeJoy DM see Greene BL
DeLeo AT. Author response [invited commentary]. 33(4):193-194.
DeLeo AT, Woodzell WW, Snyder-Mackler L. Resident's case problem: diagnosis and treatment of posterolateral instability in a patient with lateral collateral ligament sprain. 33(4):185-191.
Delitto A see Bizzini MB
Delitto A see Brennan GP
Delitto A see Childs JD
Delitto A see George SZ
DeLlamas JS see Wang SS
DeRosa C. Low back disorders: evidence-based prevention and rehabilitation [book review]. 33(9):548-549.
Derr JA, Goldsmith LJ. How to report nonsignificant results: planning to make the best use of statistical power calculations [guest editorial]. 33(6):303-306.
Derr JA, Goldsmith LJ. How to report nonsignificant results: frequently asked questions [guest editorial]. 33(7):367-368.
Devor ST see Merrick MA
Deyle GD see Langford BJ
DiLiberto FE see Reidy AR
Dinh P see Adams JM
Dobrzykowski E see Resnik L
Donachy JE see Brannon KD
Donald D see George SZ
Donatelli RA see Ekstrom RA
Donegan Shoaf L see Wilson E
Doran D see Raya MA
Doucet E see Kirkland A
Duffy HT see Jordan SL
Dugas JR see Reinold MM
Dunn S, Cathcart D, Melancon J, Arcement C. Anterior cruciate ligament reconstruction outcome comparison: patella tendon versus hamstring graft [abstract]. 33(2):A32.
Durham PL. The clinical neurobiology of fibromyalgia and myofascial pain: therapeutic implications [book review]. 33(7):427.

Eastlack ME see Banks K
Echternach JL. Clinical electrotherapy: your guide to optimal treatment [book review]. 33(1):63-64.
Edelstein JE. Basic biomechanics of the musculoskeletal system, 3rd edition [book review]. 33(1):63.
Egan KS see Youdas JW
Eiland G. Orthotics: a comprehensive clinical approach [book review]. 33(3):157.

Eilers EJ, Nelson CN, Stoops LW, Klaty MK, Rodda BJ. Normal 1-legged static standing balance times of healthy 18- to 40-year-old adults [abstract]. 33(2):A32.
Eisenhofer J see Mancinelli CA
Ekstrom RA, Bifulco KM, Loupau CJ, Andersen CF, Gough JR. A surface electromyographic study comparing the function of the upper and lower parts of the serratus anterior muscle [abstract]. 33(2):A24.
Ekstrom RA, Donatelli RA, Soderberg GL. Surface electromyographic analysis of exercises for the trapezius and serratus anterior muscles. 33(5):247-258.
Eldridge E see LeBlanc C
Ellenbecker TS, Roetert EP. Isokinetic profile of elbow flexion and extension strength in elite junior tennis players. 33(2):79-84.
Ellenbecker TS see Schulte RA
Engebretsen L see Myklebust G
Enger MC see McClure PW
Erhard RE see Brennan GP
Erhard RE see Childs JD
Euloth T see Sidaway B
Evangelista D see Wilmarth MA

Fackler SE see Musselman AE
Fainsan JD see Reidy AR
Fann CM see Appling SA
Farwell D see Adams JM
Feda JT. Acute exercise-induced unilateral leg compartment syndrome: the role of physical therapy in primary care [abstract]. 33(2):A18-A19.
Fellows DW see Moore JH
Ferguson DM see Appling SA
Ferris CM see McCrory JL
Ferris CM see Sells TS
Fiebert IM see Raya MA
Finneran JR see McCabe RA
Fish DR see Pantano KJ
Fishco WD see Cornwall MW
Fitch DS see Heiss DG
Fitzgerald GK see Childs JD
Fitzgerald GK, Piva SR, Irrgang JJ. A modified neuromuscular electrical stimulation protocol for quadriceps strength training following anterior cruciate ligament reconstruction. 33(9):492-501.
Fitzgerald GK, Piva SR, Irrgang JJ. The effectiveness of neuromuscular electrical stimulation (NMES) for quadriceps strengthening in postoperative ACL rehabilitation: standard versus criterion-based application [abstract]. 33(2):A9.
Flaws JA see Romani W
Fleming BC. Biomechanics of the anterior cruciate ligament: keynote address II [supplement]. 33(8):A13-A15.
Flynn TW. Direct access; the time has come for action [guest editorial]. 33(3):102-103.
Flynn TW see Fritz JM
Flynn TW see Petrone MR
Foutty S see Mancinelli CA
Foxworth JL see Gross MT
Freburger JK, Holmes GM, Carey TS, Cecil G. Physician's referral to physical therapy: a comparison of orthopedic surgeon's and primary care physician's management of musculoskeletal conditions [abstract]. 33(2):A26.
Fred BA see Birke JA
Fredricson M see Kulig K
Fredricson M see Powers CM
French H see Sidaway B
Fritz JM, Cleland J. Effectiveness versus efficacy: more than a debate over language [guest editorial]. 33(4):163-165.
Fritz JM see Brennan GP
Fritz JM see Childs JD
Fritz JM see Clifford SN
Fritz JM see George SZ
Fritz JM see Heiss DG
Fritz JM see Martin RL
Fritz JM, Whitman JM, Flynn TW, Wainner RS, Childs JD. Clinical factors related to the failure of individuals with low back pain to improve with spinal manipulation [abstract]. 33(2):A4-A5.
Fry-Welch D see Rodda BJ
Fu FH see McCrory JL
Fu FH see Sells TS
Fung D see Zhang L-Q
Fung D, Zhang L-Q. Mathematical modeling of ACL impingement against the intercondylar notch wall [abstract]. 33(8):A18-A20.

Gailey RS see Raya MA
Gajdoski CG see Reesor LS
Gansneder BM see Sander TC
Gansneder BM see Van Lunen BL
Garber MP see Petrone MR
Garrett WE see Sells TS
Gartsman GM see Cook KF
Gathright A see Holland J
George SZ, Fritz JM, Bialosky J, Donald D, Delitto A. The effect of a fear-avoidance based intervention for patients with acute low back pain. 4-week results from a randomized clinical trial [abstract]. 33(2):A5.
Giannetta S see Corio FM
Gieck JH see Van Lunen BL
Gieringer R see Banks K

Gilchrist LA see Pantano KJ
Glaser DA see Leggin BG
Glasoe WM, Allen MK, Kepros T, Stonewall L, Ludewig PM. Dorsal first ray mobility in female athletes with stress fracture of the second or third metatarsal [abstract]. 33(2):A12.
Godges JJ, Mattson-Bell M, Shah D, Thorpe D. The immediate effects of soft tissue mobilization with proprioceptive neuromuscular facilitation on glenohumeral external rotation and overhead reach. 33(12):713-718.
Goldfarb AH see Schmitz RJ
Goldsmith LJ see Derr JA
Goldstein MS see Volansky KJ
Goodgold S see Safran-Norton CE
Goodstadt NM, Manal T. High intensity electrical stimulation of the lumbar paraspinal musculature on an elite junior figure skater with chronic back pain [abstract]. 33(2):A20.
Gorniak GC see de Weijer VC
Gose JC. Twenty common problems in sports medicine [book review]. 33(3):156.
Goss DL, Moore JH. Compliance wearing a heel lift during 8 weeks of military training [abstract]. 33(2):A51.
Goss DL see Moore JH
Gough JR see Ekstrom RA
Gray FD see Lesh SG
Gray FD see Oldfield CL
Graziano S see Levinson M
Greenberg EM see McClure PW
Greene BL, DeJoy DM. An active ergonomics training program for computer users: a 1-year follow-up [abstract]. 33(2):A18.
Greenfield BH. Joint motion: clinical measurement and evaluation [book review]. 33(11):702.
Grenier S see Preuss R
Gross MT, Foxworth JL. The role of foot orthoses as an intervention for patellofemoral pain. 33(11):661-670.
Gross MT, Liu HY. The role of ankle bracing for prevention of ankle sprain injuries. 33(10):572-577.
Gross MT see Allen RH
Gross MT see Brady RJ
Gross MT see Sells TS
Guido J see Pariser G
Guillet M see Kulig K
Guillet M see Powers CM
Guinn JK see Petrone MR
Gulick DT, Yoder HN. Anterior cruciate ligament reconstruction: the relationship between graft types and functional outcomes [abstract]. 33(2):A64.
Gushue D see Houck JR
Hagins M, Pietrek M, Sheikhzadeh A, Nordin M. The effect of breath control on intra-abdominal pressure during lifting tasks [abstract]. 33(2):A6.
Hall KD, Coderre N, Julian J, Przechera SJ, Petersen CM. Sensory responses of asymptomatic and symptomatic subjects using the radial nerve-biased upper limb tension test [abstract]. 33(2):A17.
Halle JS. Peripheral nerve injuries in the athlete [book review]. 33(10):628.
Hamann HJ. Radiographic analysis of a distal radius fracture: implications for physical therapy intervention [abstract]. 33(2):A21-A22.
Hamill J see Pollard C
Hammer RL see Zipple JT
Hammersly S see Squires T
Hando BR. The thorax: an integrated approach [book review]. 33(10):631-632.
Hanford S see Houck JR
Hanson MT see Cloutier JS
Harding L, Barbe M, Shepard K, Marks A, Ajai R, Lardiere J, Sweringa H. Posterior-anterior glide of the femoral head in the acetabulum: a cadaver study. 33(3):118-125.
Harris BA see Shyu Y-S
Harris KD, Heer DM, Roy TC, Santos DM, Pritchard AE, Wainner RS, Whitman JM. Reliability of a measurement of deep neck flexor muscle endurance [abstract]. 33(2):A17.
Hart DL. Equating Oswestry low back pain disability questionnaire and neck disability into a functional health status item bank [abstract]. 33(2):A2.
Hart DL. Test-retest reliability of an abbreviated self-report health status measure. 33(12):734-744.
Hart P see Adams JM
Hart-Haines EA. An onsite industrial fitness incentive program that benefits employees, employer and provides a learning experience for physical therapist [abstract]. 33(2):A57-A58.
Harwood KJ. Active and passive movement testing [book review]. 33(5):297.
Hash D see Sandow ER
Haskvitz E. Hollinshead's functional anatomy of the limbs and back, 8th edition [book review]. 33(7):427.
Hawson ST, Klein MD, Miller AC, Osterhues D, Roller P, Sarton K. Efficacy of pilates exercises in the treatment of chronic low back pain [abstract]. 33(2):A32-A33.
Hayes AM see Reinking MF
Hayes KW, Petersen CM. Reliability of classifications derived from Cyriax's resisted testing in subjects with painful shoulders and knees. 33(5):235-246.
Hearn BK see Chaudhari AM
Hearty TM see Jordan SL
Heer DM see Harris KD

Heiderscheit B, Tiberio D. Three-dimensional midfoot motion during walking [abstract]. 33(2):A13-A14.
Heiss DG. Exercise prescription and the back [book review]. 33(5):296.
Heiss DG, Fitch DS, Fritz JM, Sanchez WJ, Roberts KE. The interrater reliability of a treatment-based low back pain classification system among physical therapists previously inexperienced with the system [abstract]. 33(2):A3.
Heiss DG. Orthopaedic manual physical therapy management of the lumbar spine, pelvis, and hip region [book review]. 33(10):629.
Heitzman A see Castelberg E
Helgeson KM see Quiles JR
Helgeson KM see Smith Jr. AR
Hendrix RW see Zhang L-Q
Hennes KJ, Wickwar WW, Simms CD, Mitchell JC, Johnson MD, Manske RC. Strength ratios of shoulder concentric internal/eccentric external rotators in collegiate baseball pitchers and nonpitchers [abstract]. 33(2):A58.
Herbert ED, Kwater AL, Stooksbury SC, Whyte NA. An investigation of outcomes following a functional capacity evaluation [abstract]. 33(2):A18.
Herod H see Castelberg E
Hershman EB see Tyler TF
Hieb MA see Parker MG
Hill T see Hubbard JK
Hilliard T see Wilmarth MA
Hoekstra T see Holland J
Hohepa M see Prapavessis H
Holland J, Gathright A, Hoekstra T, Shea R. Return to golf at 1 year following severe glenohumeral joint adhesive capsulitis [abstract]. 33(2):A64-A65.
Hollar AC see Parker MG
Hollingsworth DJ see Langford BJ
Holmes GM see Freburger JK
Hoogenboom BJ, Jackson JD, Myers KN, Barnes AA. Concentric and eccentric isokinetic hamstrings-to-quadriceps ratios in male and female high school soccer athletes [abstract]. 33(2):A58
Hooks TR, Kimball MM, Wilk KE, Reinold MM, Reed J, Andrews JR. Assessment of the scapula strength characteristics of professional baseball players compared to nonoverhead athletes [abstract]. 33(2):A58-A59.
Hooks TR see Reinold MM
Hooks TR, Wilk KE, Reinold MM, Trapuzzano T, Barrentine SW, Andrews JR. Comparison of the proprioceptive deficits of the involved and noninvolved lower extremity following ACL injury and surgical reconstruction [abstract]. 33(2):A59.
Horton P see Watson CW
Houck JR, Lerner A, Gushue D, Yack HJ. Author response [invited commentary]. 33(5):284-286.
Houck JR, Lerner A, Gushue D, Yack HJ. Self-reported giving-way episode during a stepping-down task: case report of a subject with an ACL-deficient knee. 33(5):273-282.
Houck JR, Hanford S. Foot landing strategies affect knee biomechanics during sidestep cut tasks [abstract]. 33(8):A23-A24.
Houck JR see Nawoczenski DA
Houck JR see Wall AE
Hubbard JK, Huckert RE, Bomgardner RK, Hill T. Hip internal and external rotation set-up and testing protocol on the Biodex System III [abstract]. 33(2):A33.
Hubbard JK, Huffman T. The effect of grade IV posterior-anterior mobilizations on lumbar range of motion [abstract]. 33(2):A6.
Huckert RE see Hubbard JK
Huffman T see Hubbard JK
Hughes C. Fast facts: orthopaedic review for the PDA [book review]. 33(11):703.
Hughes C. Review of orthopaedic trauma [book review]. 33(1):65-66.
Hughes C. Special tests for orthopedic examination, 2nd edition [book review]. 33(10):630-631.
Hughes C. The practical guide to range of motion assessment [book review]. 33(5):295.
Hughes LS see Brannon KD
Hunt A see Lesh SG
Hunt A see Oldfield CL
Hunt GC see Sooter M
Hunt L see Cornwall MW
Hunter SJ see Brennan GP
Hurd WJ see Axe MJ
Hwang IS see Cho CY

Iannotti JP see Leggin BG
Irrgang JJ see Fitzgerald GK
Irrgang JJ see McCrory JL
Irrgang JJ see Sells TS

Jackson JD see Hoogenboom BJ
Jackson V see Kirkland A
Jagessar C see Raya MA
Jansa S see Boyle KL
Janssens.K see Coppieters MW
Jenkins PG. Management of myositis ossificans in a 14-year-old male referred to physical therapy with a diagnosis of quadriceps weakness [abstract]. 33(2):A33.
Jenkins WL. ACL injury in the female and male athlete: correlation between static posture and injury [abstract]. 33(2):A59.
Jensen GM see Barr JB
Johnson DK see Musselman AE

Johnson JE see Sinacore DR
Johnson MD see Hennes KJ
Johnson MP see Vidal PG
Johnson MP see Zappile MS
Jones EM see Langford BJ
Jones JG see Rowe R
Jordan SL, Roman MG, Kohrt WM, Cleary CM, Backstrom KM, White VL, Duffy HT, Bouley PJ, Stelzner DM, Hearty TM, Chaney WL, Schenkman ML. Validity of the continuous scale-physical functional performance test for people with recurrent low back pain [abstract]. 33(2):A34.
Joslyn E see Brantley S
Joyce C see Quiles JR
Julian J see Hall KD
Julien R see Allen AN
Jull G. Invited commentary. 33(1):30-32.

Karagiannopoulos C, Sitler M, Michlovitz S. Reliability of 2 functional goniometric methods for measuring forearm pronation and supination active range of motion. 33(9):523-531.
Keenan AM see Burns J
Keliher S see Matheson JW
Kelley M, McClure P, Bialker J, Cheville A. Three-dimensional scapular kinematics in patients with a spinal accessory nerve palsy [abstract]. 33(2):A5.
Kelley MJ see Leggin BG
Kennedy D see Thomas SG
Kent TA see Appling SA
Kent-Braun JA see Rowe DW
Kepros T see Glasoe WM
Kern C. The use of partial weight-bearing system to improve community ambulation in the geriatric population with low back pain [abstract]. 33(2):A34.
Kerzick J see McDonough AL
Khafizov D see Allen AN
Kilbreath SL see Refshauge KM
Kimball MM see Hooks TR
King P see Packroni CA
King S see Creelman J
Kinne M see Kirkland A
Kirkland A, Kinne M, Jackson V, Doucet E, LeVeau BF, Lee J. Kinematics and EMG for 3 lifting techniques [abstract]. 33(2):A59-A60.
Klaty MK see Eilers EJ
Kleiman SA, Packard KA. Use of a biomechanical-based classification and treatment system for failed back syndrome [abstract]. 33(2):A34-A35.
Kleiman SA, Packard KA. Nonoperative treatment of marathon runner with herniated nucleus pulposus (HNP) using a biomechanical-based classification and treatment program [abstract]. 33(2):A52.
Klein BD see Miller DJ
Klein MD see Hawson ST
Koger RC see Sinacore DR
Koh JL see Chang AH
Koh JL see Zhang L-Q
Kohrt WM see Jordan SL
Koslow PA, Prosser LA, Strony GA, Suchecki SL, Mattingly GE. Specificity of the lateral scapular slide test in asymptomatic competitive athletes. 33(6):331-336.
Kraus M see Rowe R
Krause DA see Youdas JW
Krebs DR. Mechanical link: fundamental principles, theory, and practice following an osteopathic approach [book review]. 33(11):703-704.
Krieger LA see Birke JA
Kroll PK see Courtney C
Krosshaug T, Barh R. A model-based image-matching technique for 3-dimensional motion reconstruction from uncalibrated video sequence-application to ACL injury situations [abstract]. 33(8):A21-A23.
Kulig K, Powers CM, Landel RF, Chen K, Fredricson M, Guillet M, Butts K. Are persons with centralized low back pain more likely to present with alerted segmental lumbar mobility? In vivo assessment using dynamic MRI [abstract]. 33(2):A6.
Kulig K see Landel RF
Kulig K see Powers CM
Kwater AL see Herbert ED

Lake DA see Brantley S
Lampe K. Muscle pain: understanding its nature, diagnosis, and treatment [book review]. 33(1):64-65.
Landel RF, Kulig K, Powers CM. Accuracy of manual spinal segmental motion testing as determined by dynamic MRI [abstract]. 33(2):A3.
Landel RF see Kulig K
Landel RF see Mascal CL
Landel RF see Powers CM
Landel RF see Sugden CL
Lane C see Cornwall MW
Langford BJ, Jones EM, Cowan JE, Hollingsworth DJ, Deyle GD, Christie III DS, Allison SC. The effects of treadmill type on heart rate and pain threshold velocity in individuals with lower-extremity musculoskeletal pain. 33(9):532-537.
Langlois M see Payne J
Lardiere J see Harding L
Laskowski ER see Youdas JW
LaStayo PC, Woolf J, Lewek MD, Snyder-Mackler L, Reich T, Lindstedt SL. Eccentric muscle

contractions: their contribution to injury, prevention, rehabilitation, and sport. 33(10):577-571.
Lauseng C see Boyle KL
Lawshe BT see Wang SS
LeBlanc C, Eldridge E, McLeod M, Tinsley SL. Intrarater and interrater reliability of the Microfet2(r) hand-held dynamometer for shoulder strength testing: rotator cuff testing comparison in supine versus sitting [abstract]. 33(2):A35.
LeBlanc N, Mixon L, Scarle K, Baratta R, Nelson K, Pariser G. A comparison of EMG activity in the deltoid muscle during shoulder abduction with 3 different types of resistance exercise equipment [abstract]. 33(2):A35.
LeBlanc SE, Livingston LA, Mahar SM. Q angles and tibiofemoral angles in physically active and inactive females [abstract]. 33(8):A16-A17.
Leddy L see Pantano KJ
Lee J see Kirkland A
Lee SJ see Tyler TF
Lee TQ, Morris G, Csintalan RP. The influence of tibial and femoral rotation on patellofemoral contact area and pressure. 33(11):686-693.
Lee, SCK see Banks K
Leggin BG, Kelley MJ, Ramsey ML, Glaser DA, Williams GR, Iannotti JP. Relationships among measures of impairment, functional limitation, and disability in patients with shoulder disorders [abstract]. 33(2):A22.
Leiberman A see Castelberg E
Lephart SM see McCrory JL
Lephart SM see Sells TS
Lerner A see Houck JR
Lesh SG, Oldfield CL, Gray FD, Hunt A. Injury rates for collegiate female basketball players taking oral contraceptives: a prospective longitudinal investigation of a single team during a single season [abstract]. 33(2):A60.
Lesh SG see Oldfield CL
LeVeau BF, Brannon KD. Electromyographic analysis of the peroneus longus muscle using a special bicycle pedal [abstract]. 33(2):A55.
LeVeau BF see Kirkland A
Leveille L see Chaudhari AM
Levinson M, Graziano S, Marx RG. How effective is an interdisciplinary preoperative shoulder education program? [abstract]. 33(2):A46-A47.
Lewek MD, Rudolph KS, Snyder-Mackler L. The persistence of quadriceps weakness following an opening wedge high tibial osteotomy [abstract]. 33(2):A9.
Lewek MD see LaStayo PC
Lewis C see Boyle KL
Lin AF see Chang AH
Lin F see Zhang L-Q
Lindstedt SL see LaStayo PC
Liu HY see Gross MT
Livingston LA, Mandigo JL. Bilateral rearfoot asymmetry and anterior knee pain syndrome. 33(1):48-55.
Livingston LA see LeBlanc SE
Lloyd Ireland M see McClay Davis I
Lloyd Ireland M, Willson JD, Ballantyne BT, McClay Davis I. Hip strength in females with and without patellofemoral pain. 33(11):671-676.
Logerstedt DS. Functional neuromuscular rehabilitation of posterior shoulder dislocation in a high school baseball player [abstract]. 33(2):A53-A54.
Lombardo G see Allen AN
Loubert PV see Zipple JT
Loudon JK. An ounce of prevention... [guest editorial]. 33(10):556.
Loupau CJ see Ekstrom RA
Ludewig PM see Borstad JD
Ludewig PM see Glasoe WM
Ludewig PM see Reynolds JF
Ludewig PM see Rundquist PJ
Ludewig PM see Violette DN
Lynch S see Baxter RE

Magnes D see Booker K
Mahar SM see LeBlanc SE
Mair SD see Uhl TL
Makhsous M see Chang AH
Makhsous M see Zhang L-Q
Malin D see McDonough AL
Maluf KS see Van Dillen LR
Manal T see Goodstadt NM
Mancinelli CA, Aboulhosn L, Eisenhofer J, Markun J, Riffle R, Foutty S. The effects of postexercise massage on physical performance and muscle soreness in female collegiate volleyball players [abstract]. 33(2):A60.
Mandigo JL see Livingston LA
Manske RC see Hennes KJ
Marks A see Harding L
Markun J see Mancinelli CA
Martin P see Creelman J
Martin RL, Fritz JM, Namey T. A literature synthesis regarding the reliability and responsiveness of foot and ankle goniometric range of motion measurements [abstract]. 33(2):A14-A15.
Marx RG see Levinson M
Mascal CL, Landel RF, Powers CM. Management of patellofemoral pain targeting hip, pelvis, and trunk muscle function: 2 case reports. 33(11):647-660.
Matheson JW, Davies GJ, Keliher S, Straker S, Zillmer D. Rehabilitation following repair of the medial

patellofemoral ligament complicated by arthrofibrosis after lateral patellar dislocation with osteochondral fracture [abstract]. 33(2):A61.
Mathews CD see Wang SS
Mattacola CG see Brajuha A
Mattacola CG see Uhl TL
Mattingly GE see Koslow PA
Mattson DJ see Branck N
Mattson-Bell M see Godges JJ
McCabe RA, Nicholas SJ, McHugh MP, Montgomery KD, Finneran JR. The predictive value of shoulder range of motion and strength assessment on rotator cuff tear size [abstract]. 33(2):A48.
McCale K see Davis DS
McClay Davis I, Lloyd Ireland M. ACL injuries-the gender bias: consensus statement [supplement]. 33(8):A2-A8.
McClay Davis I, Lloyd Ireland ML. ACL injuries-the gender bias: introduction [supplement]. 33(8):A1.
McClay Davis I, Lloyd Ireland M. ACL injuries-the gender bias: list of keynotes and abstracts [supplement]. 33(8):A9.
McClay Davis I. Research retreats: in search of more focus [guest editorial]. 33(8):435-436.
McClay Davis I see Lloyd Ireland M
McClure PW see Kelley M
McClure PW, Tate AR, Enger MC, Greenberg EM, Yops RM, Neff NP. Development and interrater reliability testing of a system of classification for scapular dysfunction [abstract]. 33(2):A23-A24.
McCrory JL, Lephart SM, Ferris CM, Sell TC, Abt JP, Irrgang JJ, Fu FH. Adaptations to an intervention program for the prevention of female ACL injuries [abstract]. 33(8):A29-A30.
McCue FC see Van Lunen BL
McDonnell MK see Van Dillen LR
McDonough AL, Berger JC, Schembri CE, Taneja CD, Charles JR, Olson V. Influence of gender differences on the ability of experienced physical therapists to replicate manually applied forces accurately [abstract]. 33(2):A36.
McDonough AL, De Bellis J, Rebosa J, Malin D, Charles JR, Olson V. The effect of limited adverse trunk rotation on 4 parameters of gait [abstract]. 33(2):A36.
McDonough AL, Kerzick J, Crawley J, Philip S, Charles JR, Olson V. Gait parameter variability in a subject walking at a self-selected pace with probable moderate stage Alzheimer's disease compared with an age-matched healthy subject: a case report [abstract]. 33(2):A36.
McGill S see Preuss R
McGrew CA. Sudden cardiac death in competitive athletes. 33(10):589-593.
McHugh MP see McCabe RA
McHugh MP see Tyler TF
McKeough DM. Clinical applications for motor control [book review]. 33(7):428.
McLean SG, van den Bogert AG, Su A. Effects of neuromuscular control on knee joint loading during sidestepping: implications for noncontact ACL injury [abstract] 33(8):A24-A25.
McLeod M see LeBlanc C
McNair PJ see Cowling EJ
McNair PJ see Prapavessis H
McPoil TG, Cornwall MW. Which of 4 measures of arch structure predict dynamic arch posture and also have a high level of intra- and interrater reliability? [abstract]. 33(2):A14.
McPoil TG see Cornwall MW
McQuain J see Davis DS
McSweeney SM see Branck N
Meade T see Booker K
Melancon J see Dunn S
Merrick MA, Bernard KD, Devor ST, Williams JM. Identical 3-MHz ultrasound treatments with different devices produce different intramuscular temperatures. 33(7):379-385.
Mertler CA see Volansky KJ
Meyers B see Castelberg E
Michlovitz S see Karagiannopoulo C
Milan KR. Scoliosis and the human spine [book review]. 33(9):547.
Miller AC see Hawson ST
Miller DJ, Cuccaro JE, Klein BD, Thome PA. Do gender and school setting impact backpack to body mass ratios in 7th grade school children? [abstract]. 33(2):A37.
Miller S see Barr JB
Mincer AB see Brantley S
Minto J see Vicenzino B
Mitchell JC see Hennes KJ
Mitchell K, Banks S, Morgan D, Sugaya H. Shoulder motions during the golf swing in male amateur golfers. 33(4):196-203.
Mixon L see LeBlanc N
Montgomery KD see McCabe RA
Mooar P. Rockwood and Green's fractures in adults, volumes 1 and 2, 5th edition [book review]. 33(1):66.
Moore JH, Goss DL, Baxter RE, DeBerardino TE, Taylor DC, Fellows DW. Clinical diagnostic accuracy and magnetic resonance imaging findings in patients referred by physical therapists versus orthopaedic surgeons and nonorthopaedic providers [abstract]. 33(2):A46.
Moore JH see Baxter RE
Moore JH see Goss DL
Morgan D see Mitchell K
Morin S see Payne J

Morris G see Lee TQ
Mullaney MJ see Tyler TF
Mullenix KL see Black DW
Musket M see Banks K
Musselman AE, Fackler SE, Johnson DK, Orton SM, Cade DL. The relationship between hip flexor length and iliotibial band tightness [abstract]. 33(2):A37.
Myers KN see Hoogenboom BJ
Myklebust G, Engebretsen L, Brackken IH, Skjolberg A, Olsen OE, Bahr R. Prevention of ACL injuries in female team handball players-a prospective intervention study over 3 seasons [abstract]. 33(8):A30.

Nahow RC see Tyler TF
Namey T see Martin RL
Nawoczenski DA, Houck JR, Barnes E. Functional hallux limitus in the pronated foot: challenge to current theory [abstract]. 33(2):A12-A13.
Nawoczenski DA see Reidy AR
Nawoczenski DA see Wall AE
Neff NP see McClure PW
Nelson CN see Eilers EJ
Nelson J see Violette DN
Nelson K see LeBlanc N
Neumann DA, Bielefeld T. The carpometacarpal joint of the thumb: stability, deformity, and therapeutic intervention. 33(7):386-399.
Nicholas SJ see McCabe RA
Nicholas SJ see Tyler TF
Nitz AJ see Brajuha A
Nitz AJ see Schulte RA
Nitz AJ see Uhl TL
Nobles LM see Reidy AR
Nordin M see Hagins M
Normile SO see Wang SS
Norton BJ see Van Dillen LR
Norton BJ, Van Dillen LR, Sahrmann SA, Zou D. Differences in measurements of back curvature related to gender, alignment, and low back pain category [abstract]. 33(2):A37-A38.
Nuber GW see Zhang L-Q
Nyquist-Battie C see Smith, Jr. AR

O'Donnell D see Cornwall MW
O'Donnell DJ see Sell KE
Offord S see Vicenzino B
Ojofeitimi S, Bronner S, Spriggs J, Brownstein B. Effect of training on postural control and center of pressure displacement during weight shift [abstract]. 33(2):A15.
Ojofeitimi S see Bronner S
Ojofeitimi S see Sandow ER
Ojugo E see Allen AN
Oldfield CL, Gray FD, Hunt A, Lesh SG. Injury rates for collegiate female basketball players during the menstrual cycle window [abstract]. 33(2):A61.
Oldfield CL see Lesh SG
Olsen OE see Myklebust G
Olson SL see Cook KF
Olson V see Amundson FM
Olson V see McDonough AL
O'Reilly D see Violette DN
Orton SM see Musselman AE
Osterhues D see Hawson ST
Osterhues DJ. The use of kinesio taping in the management of traumatic patellar dislocation-a case study [abstract]. 33(2):A38.
Otto D, Raso VJ, Bagnall K, Amirfazli A, Thorton G. Variation in the mechanical behavior of rat ACL during the estrous cycle [abstract]. 33(8):A26-A27.

Packard KA see Kleiman SA
Packroni CA, Viti JA, Conley T, Roberts S, Shetler D, Tyler R, King P, Tepper S. Effects of massage on delayed onset muscle soreness [abstract]. 33(2):A38.
Page P. A survey of decision-making and utilization of elastic resistance among rehabilitation professionals [abstract]. 33(2):A61.
Pagura SMC see Thomas SG
Pantano KJ, Fish DR, Gilchrist LA, White SC. Gender differences in muscle activation patterns during landing from a jump [abstract]. 33(2):A55.
Pantano KJ, White SC, Gilchrist LA, Leddy L. Differences in peak knee valgus angles between individuals with high and low Q angles during a single limb squat [abstract]. 33(8):A17.
Paone JD see Branck N
Papanek PE. The female athlete triad: an emerging role for physical therapy. 33(10):594-614.
Papazis JA, Bal GK. A uniform treatment protocol for multiligamentous knee injuries [abstract]. 33(2):A47.
Pariser G, Guido J, Borne S, Thoms R, Turni A, Werner S. A comparison of EMG activity of the quadriceps musculature during a traditional and modified wall-squat exercise [abstract]. 33(2):A38-A39.
Pariser G see LeBlanc N
Parker MG, Bennett MJ, Hieb MA, Hollar AC, Roe AA. Strength response in human quadriceps femoris muscle during 2 neuromuscular electrical stimulation programs. 33(12):719-726.
Parker MG see Schulte RA
Patla CE. Diagnosis and treatment of movement impairment syndromes [book review]. 33(5):295.
Patrie J see Romani W
Paungmali A see Vicenzino B

Payne J, Morin S, Seibeneicher S, Langlois M. Comparison of 3 stretching techniques of the hamstring muscles on quadricep and hamstring muscle strength [abstract]. 33(2):A39.
Payne J, Morin S, Seibeneicher S, Langlois M. Comparison of 3 stretching techniques on the flexibility of the hamstring muscles [abstract]. 33(2):A39.
Payton O see Wilson E
Pellecchia GL. Gross motor function measure (GMFM-66 and GMFM-88) user's manual [book review]. 33(7):428-429.
Pendergrass TL. Saphenous neuropathy in medial knee trauma [abstract]. 33(2):A62.
Pendergrass TL see Baxter RE
Peralta A see Petrone MR
Perrin DH see Shultz SJ
Perrin DH see Van Lunen BL
Petersen CM see Hall KD
Petersen CM see Hayes KW
Petersen SM. Articular and muscular impairments in cervicogenic headache: a case report. 33(1):21-30.
Petersen SM. Authors' response [invited commentary]. 33(1):32.
Petrone MR, Guinn JK, Peralta A, Sutlive TG, Flynn TW, Garber MP. The accuracy of the palpation meter (PALM) for measuring pelvic and leg length inequality [abstract]. 33(2):A16.
Petrone MR, Guinn JK, Reddin A, Sutlive TG, Flynn TW, Garber MP. The accuracy of the Palpation Meter (PALM) for measuring pelvic crest height difference and leg length discrepancy. 33(6):319-325.
Philip S see McDonough AL
Pietrek M see Hagins M
Piskura M see Sidaway B
Piva SR see Bizzini MB
Piva SR see Childs JD
Piva SR see Fitzgerald GK
Pollard C, Braun B, Hamill J. Influences of gender and exercise on ACL laxity [abstract]. 33(8):A27.
Powers CM, Kulig K, Landel RF, Fredericson M, Guillet M, Chen K, Butts, K. The effects of a single intervention session on pain response and lumbar segmental mobility in persons with low back pain [abstract]. 33(2):A1.
Powers CM. Priorities for orthopaedic and sports physical therapy research: assessing outcomes or understanding mechanisms? [guest editorial]. 33(5):219-220.
Powers CM see Kulig K
Powers CM see Landel RF
Powers CM see Mascal CL
Powers CM see Sugden CL
Powers CM. The influence of altered lower-extremity kinematics on patellofemoral joint dysfunction: a theoretical perspective. 33(11):639-646.
Powers CM, Ward SR, Fredericson M, Guillet M, Shellock FG. Patellofemoral kinematics during weight-bearing and non-weight-bearing knee extension in persons with lateral subluxation of the patella: a preliminary study. 33(11):677-685.
Prapavessis H, McNair PJ, Anderson K, Hohepa M. Decreasing landing forces in children: the effect of instructions. 33(4):204-207.
Preuss R, Grenier S, McGill S. The effect of test position on lumbar spine position sense. 33(2):73-78.
Pritchard AE see Harris KD
Propps M see Watson CW
Prosser LA see Koslow PA
Pzechera SJ see Hall KD

Quiles JR, Helgeson KM, Joyce C. The effect of muscle fatigue on ankle joint position sense [abstract]. 33(2):A62.

Racette SB. Creatine supplementation and athletic performance. 33(10):615-621.
Rains J see Smith, Jr. AR
Ramsey ML see Leggin BG
Randall K see Branck N
Rao AK see Sandow ER
Rao S see Yack HJ
Raso VJ see Otto D
Ratner J see Watson CW
Raya MA, Gailey RS, Roach KE, Fiebert IM, Conole S, Doran D, Jagessar C, Valdivieso T. Impairment variables predicting the outcome of 6-minute walk test, a measure of functional limitation in individuals with lower-extremity amputation [abstract]. 33(2):A15.
Raymond J see Refshauge KM
Rebosa J see McDonough AL
Reddin A see Petrone MR
Redmond AC see Burns J
Reed J see Hooks TR
Reed J see Reinold MM
Reese NB, Bandy WD. Use of an inclinometer to measure flexibility of the iliotibial band using the Ober test and the modified Ober test: differences in magnitude and reliability of measurements. 33(6):326-330.
Reesor LS, Gajdosik CG. Physical therapist's perception of physical therapy intervention for adults with developmental disabilities [abstract]. 33(2):A39-A40.
Refshauge KM, Kilbreath SL, Raymond J. Authors' response [invited commentary]. 33(4):175-176.

Refshauge KM, Kilbreath SL, Raymond J. Deficits in detection of inversion and eversion movements among subjects with recurrent ankle sprains. 33(4):166-173.
Reich T see LaStayo PC
Reidy AR, Crotty DM, DiLiberto FE, Fainsan JD, Nobles LM, Schimley KJ, Nawoczenski DA. The effect of a scapular stabilization exercise protocol on 3-dimensional glenohumeral and scapulothoracic kinematics-a case study [abstract]. 33(2):A40.
Reinking MF, Hayes AM. Exercise-related lower leg pain in collegiate cross country runners [abstract]. 33(2):A49-A50.
Reinold MM see Hooks TR
Reinold MM, Wilk KE, Hooks TR, Dugas JR, Andrews JR. Thermal-assisted capsular shrinkage of the glenohumeral joint in overhead athletes: a 15- to 47-month follow-up. 33(8):455-467.
Reinold MM, Wilk KE, Hooks TR, Reed J, Andrews JR. Comparison of bilateral shoulder external and internal rotation strength at 0° versus 90° of abduction in professional baseball pitchers [abstract]. 33(2):A51.
Reinold MM, Wilk KE, Reed J, Crenshaw K, Andrews JR. Change in shoulder and elbow range of motion of professional baseball pitchers before and after pitching [abstract]. 33(2):A50.
Resnik L, Dobrzykowski E. Authors' response [invited commentary]. 33(6):318.
Resnik L, Dobrzykowski E. Guide to outcomes measurement for patients with low back pain syndromes. 33(6):307-316.
Reynolds JF, Ludewig PM. Shoulder joint and muscle exposure in violin and viola musicians [abstract]. 33(2):A23.
Riemann BL see Schmitz RJ
Riffle R see Mancinelli CA
Rine RM see Courtney C
Ritter C see Violette DN
Roach KE see Raya MA
Roberts KE see Heiss DG
Roberts S see Packroni CA
Rodda BJ see Eilers EJ
Rodda BJ, Fry-Welch D, Baker C. The grid timed balance test as a measure of dynamic balance in healthy young adults [abstract]. 33(2):A40.
Roddey TS see Cook KF
Rodriquez M see Shyu Y-S
Roe AA see Parker MG
Roetert EP see Ellenbecker TS
Roller P see Hawson ST
Roman MG see Jordan SL
Romani W, Patrie J, Curl LA, Flaws JA. Fluctuations in estradiol and progesterone are related to changes in anterior cruciate ligament stiffness in healthy, active females [abstract]. 33(8):A26.
Rose D see Bronner S
Rowe DW, Towse TF, Kent-Braun JA. Sex differences in human skeletal muscle fatigue are eliminated during ischemic exercise [abstract]. 33(2):A62-A63.
Rowe R, Jones JG, Kraus M. The assessment of lift capacity to body weight ratios in adolescents [abstracts]. 33(2):A6-A7.
Roy TC see Harris KD
Rudolph KS see Lewek MD
Rundquist PJ, Ludewig PM. Glenohumeral kinematics in subjects with frozen shoulder [abstract]. 33(2):A22-A23.
Russek LN. Pain and symptom patterns seen in headaches [abstract]. 33(2):A17-A18.

Safran-Norton CE, Goodgold S. Backpack clinic: promoting physical therapy through community service [abstract]. 33(2):A40-A41.
Sahrmann SA see Norton BJ
Sahrmann SA see Van Dillen LR
Saliba EN see Van Lunen BL
Sanchez WJ see Heiss DG
Sander TC, Shultz SJ, Gansneder BM. Muscular concontraction increases muscular preactivity and reflex peak amplitude after functional knee perturbations [abstract]. 33(2):A51-A52.
Sandow ER, Bronner S, Spriggs J, Bassile CC, Rao AK. A kinematic comparison of a dance movement in expert dancers and novices [abstract]. 33(2):A25.
Sandow ER, Hash D, Bronner S, Ojofeitimi S. Acetabular labral tear in a professional dancer: a case report [abstract]. 33(2):A19-A20.
Santos DM see Harris KD
Sarton K see Hawson ST
Scarle K see LeBlanc N
Schembri CE see McDonough AL
Schenkman ML see Jordan SL
Schimley KJ see Reidy AR
Schmidt PJ. Exertional heat illnesses [book review]. 33(10):628-629.
Schmitt L. Use of an extension cast to address 4th digit PIP extension loss following finger fracture [abstract]. 33(2):A20.
Schmitz RJ, Thompson TJ, Riemann BL, Goldfarb AH. Gender differences in hip and knee kinematics and muscle preactivation during single-leg landings [abstract]. 33(8):A20-A21.
Schulte RA, Ellenbecker TS, Nitz AJ, Parker MG, Walsh B, Zittleman D. Characteristics of adolescent baseball pitchers and their relationship to throwing velocity [abstract]. 33(2):A63.
Seahorn J see Brannon KD
Seibeneicher S see Payne J

Sell KE, O'Donnell DJ, Wentorf F, Backes SJ. Monitoring patients with ACL reconstruction from a distance using objective data communicated through the Internet [abstract]. 33(2):A63.
Sell TC see McCrory JL
Sells TS, Lephart SM, Ferris CM, Abt JP, Irrgang JJ, Fu FH. Neuromuscular and biomechanical adaptations to 2 different intervention programs for the prevention of female ACL injuries [abstract]. 33(2):A54.
Sells TS, Yu B, Gross MT, Garrett WE. Kinematic and kinetic analysis of the knee during a single-leg hop: a correlation and comparison between legs [abstract]. 33(2):A52-A53.
Shah D see Godges JJ
Shamus E see de Weijer VC
Shea R see Holland J
Sheikhzadeh A see Hagins M
Shellock FG see Powers CM
Shepard K see Harding L
Sherman L see Booker K
Sherry MA, Best TM. A comparison of 2 rehabilitation programs in the treatment of acute hamstring strains [abstract]. 33(2):A47.
Shetler D see Packroni CA
Shoaf LD, Wehman P. Patient characteristics and attitudes related to adherence to home exercise programs in outpatient physical therapy [abstract]. 33(2):A7.
Shultz SJ see Sander TC
Shultz SJ, Carcia CR, Perrin DH. Knee joint laxity affects muscle activation patterns at the knee prior to and following a weight-bearing perturbation [abstract]. 33(8):A20.
Shyu Y-S, Rodriquez M, Watkins MP, Harris BA, Sullivan M. A descriptive analysis of acute postoperative physical therapy management of patients following total knee arthroplasty [abstract]. 33(2):A41.
Sidaway B, Euloth T, French H, Piskura M, Clancy J, Carey A. The variability of 4 techniques for measuring ankle dorsiflexion range of motion [abstract]. 33(2):A41.
Simms CD see Hennes KJ
Simoneau GG. A manuscript's journey [editorial] 33(2):70-72.
Simoneau GG. CSM abstracts. 33(2):92.
Simoneau GG. Literature Reviews and Case Reports [editorial]. 33(1):2-3.
Simoneau GG. The evolution of rehabilitation for patellofemoral joint dysfunction [editorial]. 33(11):637-638.
Simoneau GG. The year in review [editorial]. 33(12):709-712.
Sinacore DR, Koger RC, Johnson JE. Inflammatory bone loss in neuropathic (Charcot) arthropathies of the foot [abstract]. 33(2):A13.
Sisto S see Amundson FM
Sitler M see Karagiannopoulo C
Skinner TM see Brady RJ
Skjolberg A see Myklebust G
Sliman KD see Birke JA
Smith Jr. AR, Helgeson KM. Elements of physical therapy management found in musculoskeletal physical therapy case reports: a retrospective analysis [abstract]. 33(2):A41-A42.
Smith KB see Yahara ML
Smith S see Watson CW
Smith SS see Trudelle-Jackson EJ
Smith, Jr. R, Nyquist-Battie C, Clark M, Rains J. Anatomical characteristics of the upper serratus anterior: cadaver dissection. 33(8):449-454.
Snyder-Mackler L see Axe MJ
Snyder-Mackler L see Chmielewski TL
Snyder-Mackler L see DeLeo AT
Snyder-Mackler L see LaStayo PC
Snyder-Mackler L see Lewek MD
Soderberg GL see Ekstrom
Sooter M, Worley J, Hunt GC. Treatment of proximal tibio-fibular joint instability and associated knee pain: a single-subject study [abstract]. 33(2):A42.
Sparto PJ see Childs JD
Spriggs J see Bronner S
Spriggs J see Ojofeitimi S
Spriggs J see Sandow ER
Squires T, Hammersly S. Return to golf after rotator cuff repair [abstract]. 33(2):A65.
Stackhouse SK see Banks K
Stappaerts KH see Coppieters MW
Steele JR see Cowling EJ
Stelzner DM see Jordan SL
Stemp C see Castelberg E
Stoeckmann T. Neuroscience: fundamentals for rehabilitation, 2nd edition [book review]. 33(3):157.
Stonewall L see Glasoe WM
Stooksbury SC see Herbert ED
Stoops LW see Eilers EJ
Straker S see Matheson JW
Stratford PW. Invited commentary. 33(6):317-318.
Strony GA see Koslow PA
Stubbs PL see Weber MD
Su A see McLean SG
Suchecki SL see Koslow PA
Sugaya H see Mitchell K
Sugden CL, Landel R, Powers CM. Management of patellofemoral pain targeting hip, pelvis, and trunk muscle function: 2 case reports. 33(11):639-646.
Sullivan M see Shyu Y-S

Sutlive TG see Petrone MR
Sweringa H see Harding L
Swincoe D. Science and golf IV [book review]. 33(7):428.

Taft TN. Internal fixation in osteoporotic bone [book review]. 33(9):549.
Tamari K, Tinley P. A new concept of estimating tibiofibular torsion: an in vivo reliability study. 33(2):85-90.
Taneja CD see McDonough AL
Tank R. Preparing for the athletic trainers' certification examination [book review]. 33(5):297.
Tate AR see McClure PW
Taylor DC see Moore JH
Tepper S see Packroni CA
Thackeray A see Brennan GP
Thein Brody L see Amundson FM
Thein Brody L. Strength and power in sport, 2nd edition [book review]. 33(10):631.
Therneau TM see Youdas JW
Thomas G see Wilson T
Thomas SG, Pagura SMC, Kennedy D. Physical activity and its relationship to physical performance in patients with end stage knee osteoarthritis. 33(12):745-754.
Thome PA see Miller DJ
Thompson AW see Bringman DA
Thompson TJ see Schmitz RJ
Thoms R see Pariser G
Thorpe D see Godges JJ
Thorton G see Otto D
Tiberio D see Heiderscheit B
Tichenor CJ see Barr JB
Tinkle CE see Appling SA
Tinley P see Tamari K
Tinsley SL see LeBlanc C
Towse TF see Rowe DW
Trapuzzano T see Hooks TR
Trudelle-Jackson EJ, Smith SS. Effect of postrehabilitation exercise on strength and postural stability following total hip arthroplasty [abstract]. 33(2):A42.
Tucker DA see Bringman DA
Turni A see Pariser G
Tyler R see Packroni CA
Tyler TF, Nahow RC, Lee SJ, Nicholas SJ, McHugh MP. Can shoulder rotation weakness be accurately determined in patients with shoulder impingement during a routine orthopedic visit? [abstract]. 33(2):A49.
Tyler TF, Nicholas SJ, Hershman EB, Mullaney MJ, McHugh MP. The effect of creatine monohydrate supplementation on strength recovery following ACL reconstruction: a randomized, placebo-controlled, double-blind trial [abstract]. 33(2):A50-A51.

Uhl TL, Carver TJ, Mattacola CG, Mair SD, Nitz AJ. Shoulder musculature activation during upper extremity weight-bearing exercise. 33(3):109-117.
Uhl TL see Brajuha A

Valdivieso T see Raya MA
van den Bogert AG see McLean SG
Van Dillen LR, Sahrmann SA, Maluf KS. Effect of modifying patient-preferred movement and alignment strategies during symptom testing: a follow-up report [abstract]. 33(2):A4.
Van Dillen LR, Sahrmann SA, Maluf KS. Numbers of directions associated with alignment and movement strategies used by patients with low back pain during tests that are symptom-provoking [abstract]. 33(2):A1-A2.
Van Dillen LR, Sahrmann SA, Norton BJ, Caldwell CA, McDonnell MK, Bloom NJ. Movement system impairment-based categories for low back pain: stage 1 validation. 33(3):126-142.
Van Dillen LR see Norton BJ
Van Lunen BL, Perrin DH, Arnold BL, Gieck JH, Saliba EN, Gansneder BM, McCue FC. Characteristics of anterior cruciate ligament injuries: preliminary findings [abstract]. 33(8):A16.
Vandervoort AA. Invited commentary. 33(4):173-174.
VanSwearingen J. Introduction to electromyography and nerve conduction testing, 2nd edition [book review]. 33(11):703.
Vicenzino B, Brooksbank J, Minto J, Offord S, Paungmali A. Initial effects of elbow taping on pain-free grip strength and pressure pain threshold. 33(7):400-407.
Vidal PG, Johnson MP. The differential diagnostic process and physical therapy management of cervicogenic dizziness: a case report [abstract]. 33(2):A21.
Vignovic M see Clifford SN
Violette DN, O'Reilly D, Ritter C, Nelson J, Ludewig PM. Abnormal shoulder motion in persons with atraumatic shoulder instability [abstract]. 33(2):A43
Viti JA see Packroni CA
Volansky KJ, Bork CE, Goldstein MS, Mertler CA. Utilization of e-mail by orthopedic clinical specialists [abstract]. 33(2):A43.

Wagner JT see Barr JB
Wainner R. Reliability of the clinical examination: how close is "close enough"? [guest editorial]. 33(9):488-491.
Wainner RS see Fritz JM
Wainner RS see Harris KD

Wall AE, Houck JR, Nawozenski DA. Alterations in foot center of pressure in different foot types [abstract]. 33(2):A43-A44.
Walsh B see Schulte RA
Wang SS, DeLlamas JS, Mathews CD. Can serratus anterior muscle strengthening exercises correct abnormal scapular winging? A case study [abstract]. 33(2):A44.
Wang SS, Normile SO, Lawshe BT. A reliability study of new techniques to determine serratus anterior muscle strength and endurance [abstract]. 33(2):A44.
Ward SR see Powers CM
Watkins MP see Shyu Y-S
Watson CW, Smith S, Propps M, Ratner J, Zeigler D, Horton P. Test-retest reliability and responsiveness of 2 self-report outcome measures used with patients with anterior knee pain: a multisite study [abstract]. 33(2):A11.
Weber MD, Stubbs PL. Effect of knee angle on comfort and stimulation efficiency during neuromuscular electrical stimulation of the quadriceps [abstract]. 33(2):A63-A64.
Wehman P see Shoaf LD
Wentorf F see Sell KE
Werner S see Pariser G
White SC see Pantano KJ
White VL see Jordan SL
Whitman JM see Fritz JM
Whitman JM see Harris KD
Whyte NA see Herbert ED
Wickham R see Axe MJ
Wickwar WW see Hennes KJ
Wilk KE. Invited commentary. 33(4):191-193.
Wilk KE see Hooks TR
Wilk KE see Reinold MM
Wilken J see Yack HJ
Williams DS. The relationship between sensory neuropathy and lower-extremity mechanics [abstract]. 33(2):A14.
Williams GR see Leggin BG
Williams JM see Merrick MA
Willson JD see Lloyd Ireland M
Wilmarth MA. Effectiveness of specific postural exercises in the treatment of a patient with temporomandibular dysfunction: an evidence-based case report [abstract]. 33(2):A45.
Wilmarth MA, Hilliard T, Behenna J, Evangelista D. Safe and effective head posture measurement in the elderly: use of the head posture spinal curvature instrument in the clinical setting [abstract]. 33(2):A45.
Wilson E, Payton O, Donegan-Shoaf L, Dec K. Muscle energy technique in patients with acute low back pain: a pilot clinical trial. 33(9):502-512.
Wilson E, Payton O, Donegan-Shoaf L, Dec K. The efficacy of muscle energy techniques in patients with acute low back pain: a randomized, controlled double-blind, sequential clinical trial [abstract]. 33(2):A64.
Wilson T. Authors' response [invited commentary]. 33(8):446-448.
Wilson T, Carter N, Thomas G. A multicenter, single-masked study of medial, neutral, and lateral patellar taping in individuals with patellofemoral pain syndrome. 33(8):437-443.
Wine J see Davis DS
Wolff-Burke M see Booker K
Woodman R. Spinal surgery: tricks of the trade [book review]. 33(9):547.
Woodzell WW see DeLeo AT
Woolf J see LaStayo PC
Worley J see Sooter M
Wouters LL see Coppieters MW
Wright LL see Bringman DA

Yack HJ, Chandran R, Rao S, Wilken J. How normal hormonal fluctuations in women influence the biomechanics of stepping and cutting [abstract]. 33(8): A28-A29.
Yack HJ see Houck JR
Yahara ML, Smith KB. Correlation between physical performance and patient perception of activity level and pain level in a geriatric orthopedic population [abstract]. 33(2):A45.
Yoder HN see Gulick DT
Yops RM see McClure PW
Youdas JW, Krause DA, Egan KS, Therneau TM, Laskowski ER. The effect of static stretching of the calf muscle-tendon unit on active ankle dorsiflexion range of motion. 33(7):408-417.
Yu B see Sells TS

Zappile MS, Johnson MP. The unique management of an adolescent female dancer utilizing a custom-made orthosis: a case study [abstract]. 33(2):A19.
Zeigler D see Watson CW
Zhang L-Q see Chang AH
Zhang L-Q see Fung D
Zhang L-Q, Fung D, Lin F, Makhsous M, Koh JL, Hendrix RW, Nuber GW. Noncontact ACL injuries: impringement versus direct stretch [abstract]. 33(8):A17-A18.
Zillmer D see Matheson JW
Zipple JT, Hammer RL, Loubert PV. Treatment of fabella syndrome with manual therapy: a case report. 33(1):33-39.
Zittleman D see Schulte RA
Zou D see Norton BJ

Abdominal Muscles

Baxter RE, Moore JH, Pendergrass TL, Crowder TA, Lynch S. Improvement in sit-up performance associated with 2 different training regimens. 33(1):40-47.

Anatomy

Harding L, Barbe M, Shepard K, Marks A, Ajai R, Lardiere J, Sweringa H. Posterior-anterior glide of the femoral head in the acetabulum: a cadaver study. 33(3):118-125.

Smith Jr. R, Nyquist-Battie C, Clark M, Rains J. Anatomical characteristics of the upper serratus anterior: cadaver dissection. 33(8):449-454.

Ankle

Gross MT, Liu HY. The role of ankle bracing for prevention of ankle sprain injuries. 33(10):572-577.

Livingston LA, Mandigo JL. Bilateral rearfoot asymmetry and anterior knee pain syndrome. 33(1):48-55.

Refshauge KM, Kilbreath SL, Raymond J. Deficits in detection of inversion and eversion movements among subjects with recurrent ankle sprains. 33(4):166-173; discussion 173-176.

Youdas JW, Krause DA, Egan KS, Therneau TM, Laskowski ER. The effect of static stretching of the calf muscle-tendon unit on active ankle dorsiflexion range of motion. 33(7):408-417.

Anterior Cruciate Ligament

Fitzgerald GK, Piva SR, Irrgang JJ. A modified neuromuscular electrical stimulation protocol for quadriceps strength training following anterior cruciate ligament reconstruction. 33(9):492-501.

Houck JR, Lerner A, Gushue D, Yack HJ. Self-reported giving-way episode during a stepping-down task: case report of a subject with an ACL-deficient knee. 33(5):273-282; discussion 283-286.

McClay Davis I, Lloyd Ireland M. ACL injuries-the gender bias. Abstracts from Research Retreat II, April 4-5, 2003 [supplement]. 33(8):A1-A30.

Arthritis

Buckwalter JA. Sports, joint injury, and post-traumatic osteoarthritis. 33(10):578-588.

Neumann DA, Bielefeld T. The carpometacarpal joint of the thumb: stability, deformity, and therapeutic intervention. 33(7):386-399.

Thomas SG, Pagura SMC, Kennedy D. Physical activity and its relationship to physical performance in patients with end stage knee osteoarthritis. 33(12):745-754.

Baseball

Reinold MM, Wilk KE, Hooks TR, Dugas JR, Andrews JR. Thermal-assisted capsular shrinkage of the glenohumeral joint in overhead athletes: a 15- to 47-month follow-up. 33(8):455-467.

Biomechanics

Houck JR, Lerner A, Gushue D, Yack HJ. Self-reported giving-way episode during a stepping-down task: case report of a subject with an ACL-deficient knee. 33(5):273-282; discussion 283-286.

Mitchell K, Banks S, Morgan D, Sugaya H. Shoulder motions during the golf swing in male amateur golfers. 33(4):196-203.

Prapavessis H, McNair PJ, Anderson K, Hohepa M. Decreasing landing forces in children: the effect of instructions. 33(4):204-207.

Preuss R, Grenier S, McGill S. The effect of test position on lumbar spine position sense. 33(2):73-78.

Bracing

Gross MT, Liu HY. The role of ankle bracing for prevention of ankle sprain injuries. 33(10):572-577.

Cardiovascular System

Langford BJ, Jones EM, Cowan JE, Hollingsworth DJ, Deyle GD, Douglas III SC, Allison SC. The effects of treadmill type on heart rate and pain threshold velocity in individuals with lower-extremity musculoskeletal pain. 33(9):532-537.

McGrew CA. Sudden cardiac death in competitive athletes. 33(10):589-593.

Carpometacarpal Joint

Neumann DA, Bielefeld T. The carpometacarpal joint of the thumb: stability, deformity, and therapeutic intervention. 33(7):386-399.

Cartilage

Buckwalter JA. Sports, joint injury, and post-traumatic osteoarthritis. 33(10):578-588.

Cervical Spine

Coppieters MW, Stappaerts KH, Wouters LL, Janssens K. The immediate effects of a cervical lateral glide treatment technique in patients with neurogenic cervicobrachial pain. 33(7):369-378.

Ekstrom RA, Donatelli RA, Soderberg GL. Surface electromyographic analysis of exercises for the trapezius and serratus anterior muscles. 33(5):247-258.

Petersen SM. Articular and muscular impairments in cervicogenic headache: a case report. 33(1):21-30; discussion 30-32.

Cyriax

Hayes KW, Petersen CM. Reliability of classifications derived from Cyriax's resisted testing in subjects with painful shoulders and knees. 33(5):235-246.

Elbow

Ellenbecker TS, Roetert EP. Isokinetic profile of elbow flexion and extension strength in elite junior tennis players. 33(2):79-84.

Vicenzino B, Brooksbank J, Minto J, Offord S, Paungmali A. Initial effects of elbow taping on pain-free grip strength and pressure pain threshold. 33(7):400-407.

Electrical Stimulation

Fitzgerald GK, Piva SR, Irrgang JJ. A modified neuromuscular electrical stimulation protocol for quadriceps strength training following anterior cruciate ligament reconstruction. 33(9):492-501.

Parker MG, Bennett MJ, Hieb MA, Hollar AC, Roe AA. Strength response in human quadriceps femoris muscle during 2 neuromuscular electrical stimulation programs. 33(12):719-726.

Electromyography

Ekstrom RA, Donatelli RA, Soderberg GL. Surface electromyographic analysis of exercises for the trapezius and serratus anterior muscles. 33(5):247-258.

Uhl TL, Carver TJ, Mattacola CG, Mair SD, Nitz AJ. Shoulder musculature activation during upper extremity weight-bearing exercise. 33(3):109-117.

Extracorporeal shock wave therapy

Cheing GL, Chang H. Extracorporeal shock wave therapy. 33(6):337-343.

Flexibility

de Weijer VC, Gorniak GC, Shamus E. The effect of static stretch and warm-up exercise on hamstring length over the course of 24 hours. 33(12):727-733.

Karagiannopoulos C, Sitler M, Michlovitz S. Reliability of 2 functional goniometric methods for measuring forearm pronation and supination active range of motion. 33(9):523-531.

Reese NB, Bandy WD. Use of an inclinometer to measure flexibility of the iliotibial band using the Ober test and the modified Ober test: differences in magnitude and reliability of measurements. 33(6):326-330.

Youdas JW, Krause DA, Egan KS, Therneau TM, Laskowski ER. The effect of static stretching of the calf muscle-tendon unit on active ankle dorsiflexion range of motion. 33(7):408-417.

Foot

Allen RH, Gross MT. Toe flexors strength and passive extension range of motion of the first metatarsophalangeal joint in individuals with plantar fasciitis. 33(8):468-478.

Cheing GL, Chang H. Extracorporeal shock wave therapy. 33(6):337-343.

Gross MT, Foxworth JL. The role of foot orthoses as an intervention for patellofemoral pain. 33(11):661-670.

Livingston LA, Mandigo JL. Bilateral rearfoot asymmetry and anterior knee pain syndrome. 33(1):48-55.

Forearm

Karagiannopoulos C, Sitler M, Michlovitz S. Reliability of 2 functional goniometric methods for measuring forearm pronation and supination active range of motion. 33(9):523-531.

Fractures

Papanek PE. The female athlete triad: an emerging role for physical therapy. 33(10):594-614.

Gait

Houck JR, Lerner A, Gushue D, Yack HJ. Self-reported giving-way episode during a stepping-down task: case report of a subject with an ACL-deficient knee. 33(5):273-282; discussion 283-286.

Golf

Mitchell K, Banks S, Morgan D, Sugaya H. Shoulder motions during the golf swing in male amateur golfers. 33(4):196-203.

Goniometry

Karagiannopoulos C, Sitler M, Michlovitz S. Reliability of 2 functional goniometric methods for measuring forearm pronation and supination active range of motion. 33(9):523-531.

Reese NB, Bandy WD. Use of an inclinometer to measure flexibility of the iliotibial band using the Ober test and the modified Ober test: differences in magnitude and reliability of measurements. 33(6):326-330.

Hand

Neumann DA, Bielefeld T. The carpometacarpal joint of the thumb: stability, deformity, and therapeutic intervention. 33(7):386-399.

Headache

Petersen SM. Articular and muscular impairments in cervicogenic headache: a case report. 33(1):21-30; discussion 30-32.

Hip

Harding L, Barbe M, Shepard K, Marks A, Ajai R, Lardiere J, Sweringa H. Posterior-anterior glide

of the femoral head in the acetabulum: a cadaver study. 33(3):118-125.
Lee TQ, Morris G, Csintalan RP. The influence of tibial and femoral rotation on patellofemoral contact area and pressure. 33(11):686-693.
Lloyd Ireland M, Willson JD, Ballantyne BT, McClay Davis I. Hip strength in females with and without patellofemoral pain. 33(11):671-676.
Powers CM. The influence of altered lower-extremity kinematics on patellofemoral joint dysfunction: a theoretical perspective. 33(11):639-646.
Powers CM, Ward SR, Fredericson M, Guillet M, Shellock FG. Patellofemoral kinematics during weight-bearing and non-weight-bearing knee extension in persons with lateral subluxation of the patella: a preliminary study. 33(11):677-685.
Reese NB, Bandy WD. Use of an inclinometer to measure flexibility of the iliotibial band using the Ober test and the modified Ober test: differences in magnitude and reliability of measurements. 33(6):326-330.
Sugden CL, Landel RF, Powers CM. Management of patellofemoral pain targeting hip, pelvis, and trunk muscle function: 2 case reports. 33(11):647-660.

Isokinetic

Ellenbecker TS, Roetert EP. Isokinetic profile of elbow flexion and extension strength in elite junior tennis players. 33(2):79-84.

Joint Manipulation/Mobilization

Childs JD, Fritz JM, Piva SR, Erhard RE. Clinical decision making in the identification of patients likely to benefit from spinal manipulation: a traditional versus an evidence-based approach. 33(5):259-272.
Coppieters MW, Stappaerts KH, Wouters LL, Janssens K. The immediate effects of a cervical lateral glide treatment technique in patients with neurogenic cervicobrachial pain. 33(7):369-378.
Harding L, Barbe M, Shepard K, Marks A, Ajai R, Lardiere J, Sweringa H. Posterior-anterior glide of the femoral head in the acetabulum: a cadaver study. 33(3):118-125.
Petersen SM. Articular and muscular impairments in cervicogenic headache: a case report. 33(1):21-30; discussion 30-32.
Zipple JT, Hammer RL, Loubert PV. Treatment of fabella syndrome with manual therapy: a case report. 33(1):33-39.

Jumping

Prapavessis H, McNair PJ, Anderson K, Hohepa M. Decreasing landing forces in children: the effect of instructions. 33(4):204-207.

Knee

Bizzini MB, Childs JD, Piva SR, Delitto A. Systematic review of the quality of randomized controlled trials for patellofemoral pain syndrome. 33(1):4-20.
Buckwalter JA. Sports, joint injury, and posttraumatic osteoarthritis. 33(10):578-588.
DeLeo AT, Woodzell WW, Snyder-Mackler L. Resident's case problem: diagnosis and treatment of posterolateral instability in a patient with lateral collateral ligament sprain. 33(4):185-191; discussion 191-195.
de Weijer VC, Gorniak GC, Shamus E. The effect of static stretch and warm-up exercise on hamstring length over the course of 24 hours. 33(12):727-733.
Fitzgerald GK, Piva SR, Irrgang JJ. A modified neuromuscular electrical stimulation protocol for quadriceps strength training following anterior cruciate ligament reconstruction. 33(9):492-501.
Gross MT, Foxworth JL. The role of foot orthoses as an intervention for patellofemoral pain. 33(11):661-670.
Hayes KW, Petersen CM. Reliability of classifications derived from Cyriax's resisted testing in subjects with painful shoulders and knees. 33(5):235-246.
Houck JR, Lerner A, Gushue D, Yack HJ. Self-reported giving-way episode during a stepping-down task: case report of a subject with an ACL-deficient knee. 33(5):273-282; discussion 283-286.
Lee TQ, Morris G, Csintalan RP. The influence of tibial and femoral rotation on patellofemoral contact area and pressure. 33(11):686-693.
Livingston LA, Mandigo JL. Bilateral rearfoot asymmetry and anterior knee pain syndrome. 33(1):48-55.
Lloyd Ireland M, Willson JD, Ballantyne BT, McClay Davis I. Hip strength in females with and without patellofemoral pain. 33(11):671-676.
McClay Davis I, Lloyd Ireland M. ACL injuries-the gender bias. Abstracts from Research Retreat II, April 4-5, 2003 [supplement]. 33(8):A1-A30.
Parker MG, Bennett MJ, Hieb MA, Hollar AC, Roe AA. Strength response in human quadriceps femoris muscle during 2 neuromuscular electrical stimulation programs. 33(12):719-726.
Powers CM. The influence of altered lower-extremity kinematics on patellofemoral joint dysfunction: a theoretical perspective. 33(11):639-646.
Powers CM, Ward SR, Fredericson M, Guillet M, Shellock FG. Patellofemoral kinematics during weight-bearing and non-weight-bearing knee ex-

tension in persons with lateral subluxation of the patella: a preliminary study. 33(11):677-685.
Reese NB, Bandy WD. Use of an inclinometer to measure flexibility of the iliotibial band using the Ober test and the modified Ober test: differences in magnitude and reliability of measurements. 33(6):326-330.
Sugden CL, Landel RF, Powers CM. Management of patellofemoral pain targeting hip, pelvis, and trunk muscle function: 2 case reports. 33(11):647-660.
Thomas SG, Pagura SMC, Kennedy D. Physical activity and its relationship to physical performance in patients with end stage knee osteoarthritis. 33(12):745-754.
Wilson T, Carter N, Thomas G. A multicenter, single-masked study of medial, neutral, and lateral patellar taping in individuals with patellofemoral pain syndrome. 33(8):437-443; discussion 444-448.
Zipple JT, Hammer RL, Loubert PV. Treatment of fabella syndrome with manual therapy: a case report. 33(1):33-39.

Limb length

Brady RJ, Dean JB, Skinner TM, Gross MT. Limb length inequality: clinical implications for assessment and intervention. 33(5):221-234.
Petrone MR, Guinn JK, Reddin A, Sutlive TG, Flynn TW, Garber MP. The accuracy of the Palpation Meter (PALM) for measuring pelvic crest height difference and leg length discrepancy. 33(6):319-325.

Lower Extremity

Bizzini MB, Childs JD, Piva SR, Delitto A. Systematic review of the quality of randomized controlled trials for patellofemoral pain syndrome. 33(1):4-20.
Brady RJ, Dean JB, Skinner TM, Gross MT. Limb length inequality: clinical implications for assessment and intervention. 33(5):221-234.
Buckwalter JA. Sports, joint injury, and posttraumatic osteoarthritis. 33(10):578-588.
Burns J, Keenan AM, Redmond AC. Factors associated with triathlon-related overuse injuries. 33(4):177-184.
DeLeo AT, Woodzell WW, Snyder-Mackler L. Resident's case problem: diagnosis and treatment of posterolateral instability in a patient with lateral collateral ligament sprain. 33(4):185-191; discussion 191-195.
de Weijer VC, Gorniak GC, Shamus E. The effect of static stretch and warm-up exercise on hamstring length over the course of 24 hours. 33(12):727-733.
Gross MT, Foxworth JL. The role of foot orthoses as an intervention for patellofemoral pain. 33(11):661-670.
Houck JR, Lerner A, Gushue D, Yack HJ. Self-reported giving-way episode during a stepping-down task: case report of a subject with an ACL-deficient knee. 33(5):273-282; discussion 283-286.
Langford BJ, Jones EM, Cowan JE, Hollingsworth DJ, Deyle GD, Douglas III SC, Allison SC. The effects of treadmill type on heart rate and pain threshold velocity in individuals with lower-extremity musculoskeletal pain. 33(9):532-537.
Lee TQ, Morris G, Csintalan RP. The influence of tibial and femoral rotation on patellofemoral contact area and pressure. 33(11):686-693.
Lloyd Ireland M, Willson JD, Ballantyne BT, McClay Davis I. Hip strength in females with and without patellofemoral pain. 33(11):671-676.
McClay Davis I, Lloyd Ireland M. ACL injuries-the gender bias. Abstracts from Research Retreat II, April 4-5, 2003 [supplement]. 33(8):A1-A30.
Parker MG, Bennett MJ, Hieb MA, Hollar AC, Roe AA. Strength response in human quadriceps femoris muscle during 2 neuromuscular electrical stimulation programs. 33(12):719-726.
Petrone MR, Guinn JK, Reddin A, Sutlive TG, Flynn TW, Garber MP. The accuracy of the Palpation Meter (PALM) for measuring pelvic crest height difference and leg length discrepancy. 33(6):319-325.
Powers CM. The influence of altered lower-extremity kinematics on patellofemoral joint dysfunction: a theoretical perspective. 33(11):639-646.
Powers CM, Ward SR, Fredericson M, Guillet M, Shellock FG. Patellofemoral kinematics during weight-bearing and non-weight-bearing knee extension in persons with lateral subluxation of the patella: a preliminary study. 33(11):677-685.
Prapavessis H, McNair PJ, Anderson K, Hohepa M. Decreasing landing forces in children: the effect of instructions. 33(4):204-207.
Reese NB, Bandy WD. Use of an inclinometer to measure flexibility of the iliotibial band using the Ober test and the modified Ober test: differences in magnitude and reliability of measurements. 33(6):326-330.
Sugden CL, Landel RF, Powers CM. Management of patellofemoral pain targeting hip, pelvis, and trunk muscle function: 2 case reports. 33(11):647-660.
Tamari K, Tinley P. A new concept of estimating tibiofibular torsion: an in vivo reliability study. 33(2):85-90.

Thomas SG, Pagura SMC, Kennedy D. Physical activity and its relationship to physical performance in patients with end stage knee osteoarthritis. 33(12):745-754.

Wilson T, Carter N, Thomas G. A multicenter, single-masked study of medial, neutral, and lateral patellar taping in individuals with patellofemoral pain syndrome. 33(8):437-443; discussion 444-448.

Youdas JW, Krause DA, Egan KS, Therneau TM, Laskowski ER. The effect of static stretching of the calf muscle-tendon unit on active ankle dorsiflexion range of motion. 33(7):408-417.

Zipple JT, Hammer RL, Loubert PV. Treatment of fabella syndrome with manual therapy: a case report. 33(1):33-39.

Lumbar Spine

Baxter RE, Moore JH, Pendergrass TL, Crowder TA, Lynch S. Improvement in sit-up performance associated with 2 different training regimens. 33(1):40-47.

Brady RJ, Dean JB, Skinner TM, Gross MT. Limb length inequality: clinical implications for assessment and intervention. 33(5):221-234.

Burns J, Keenan AM, Redmond AC. Factors associated with triathlon-related overuse injuries. 33(4):177-184.

Childs JD, Fritz JM, Piva SR, Erhard RE. Clinical decision making in the identification of patients likely to benefit from spinal manipulation: a traditional versus an evidence-based approach. 33(5):259-272.

Clifford SN, Fritz JM. Children and adolescents with low back pain: a descriptive study of physical examination and outcome measurement. 33(9):513-522.

Preuss R, Grenier S, McGill S. The effect of test position on lumbar spine position sense. 33(2):73-78.

Resnik L, Dobrzykowski E. Guide to outcomes measurement for patients with low back pain syndromes. 33(6):307-316; discussion 317-318.

Van Dillen LR, Sahrmann SA, Norton BJ, Caldwell CA, McDonnell MK, Bloom NJ. Movement system impairment-based categories for low back pain: stage 1 validation. 33(3):126-142 .

Wilson E, Payton O, Donegan-Shoaf L, Dec K. Muscle energy technique in patients with acute low back pain: a pilot clinical trial. 33(9):502-512.

Manual Therapy

Childs JD, Fritz JM, Piva SR, Erhard RE. Clinical decision making in the identification of patients likely to benefit from spinal manipulation: a traditional versus an evidence-based approach. 33(5):259-272.

Coppieters MW, Stappaerts KH, Wouters LL, Janssens K. The immediate effects of a cervical lateral glide treatment technique in patients with neurogenic cervicobrachial pain. 33(7):369-378.

Godges JJ, Mattson-Bell M, Shah D. The immediate effects of soft tissue mobilization with proprioceptive neuromuscular facilitation on glenohumeral external rotation and overhead reach. 33(12):713-718.

Harding L, Barbe M, Shepard K, Marks A, Ajai R, Lardiere J, Sweringa H. Posterior-anterior glide of the femoral head in the acetabulum: a cadaver study. 33(3):118-125.

Petersen SM. Articular and muscular impairments in cervicogenic headache: a case report. 33(1):21-30; discussion 30-32.

Wilson E, Payton O, Donegan-Shoaf L, Dec K. Muscle energy technique in patients with acute low back pain: a pilot clinical trial. 33(9):502-512.

Zipple JT, Hammer RL, Loubert PV. Treatment of fabella syndrome with manual therapy: a case report. 33(1):33-39.

Muscle Injury

Baxter RE, Moore JH. Diagnosis and treatment of acute exertional rhabdomyolysis. 33(3):104-108.

LaStayo PC, Woolf J, Lewek MD, Snyder-Mackler L, Reich T, Lindstedt SL. Eccentric muscle contractions: their contribution to injury, prevention, rehabilitation, and sport. 33(10):557-571.

Muscle Strength

Baxter RE, Moore JH. Diagnosis and treatment of acute exertional rhabdomyolysis. 33(3):104-108.

Baxter RE, Moore JH, Pendergrass TL, Crowder TA, Lynch S. Improvement in sit-up performance associated with 2 different training regimens. 33(1):40-47.

Ekstrom RA, Donatelli RA, Soderberg GL. Surface electromyographic analysis of exercises for the trapezius and serratus anterior muscles. 33(5):247-258.

Ellenbecker TS, Roetert EP. Isokinetic profile of elbow flexion and extension strength in elite junior tennis players. 33(2):79-84.

Fitzgerald GK, Piva SR, Irrgang JJ. A modified neuromuscular electrical stimulation protocol for quadriceps strength training following anterior cruciate ligament reconstruction. 33(9):492-501.

LaStayo PC, Woolf J, Lewek MD, Snyder-Mackler L, Reich T, Lindstedt SL. Eccentric muscle contrac-

tions: their contribution to injury, prevention, rehabilitation, and sport. 33(10):557-571.

Lee TQ, Morris G, Csintalan RP. The influence of tibial and femoral rotation on patellofemoral contact area and pressure. 33(11):686-693.

Lloyd Ireland M, Willson JD, Ballantyne BT, McClay Davis I. Hip strength in females with and without patellofemoral pain. 33(11):671-676.

Parker MG, Bennett MJ, Hieb MA, Hollar AC, Roe AA. Strength response in human quadriceps femoris muscle during 2 neuromuscular electrical stimulation programs. 33(12):719-726.

Sugden CL, Landel RF, Powers CM. Management of patellofemoral pain targeting hip, pelvis, and trunk muscle function: 2 case reports. 33(11):647-660.

Uhl TL, Carver TJ, Mattacola CG, Mair SD, Nitz AJ. Shoulder musculature activation during upper extremity weight-bearing exercise. 33(3):109-117.

Neural Tension

Coppieters MW, Stappaerts KH, Wouters LL, Janssens K. The immediate effects of a cervical lateral glide treatment technique in patients with neurogenic cervicobrachial pain. 33(7):369-378.

Nutrition

Papanek PE. The female athlete triad: an emerging role for physical therapy. 33(10):594-614.

Racette SB. Creatine supplementation and athletic performance. 33(10): 615-621.

Orthoses

Gross MT, Foxworth JL. The role of foot orthoses as an intervention for patellofemoral pain. 33(11):661-670.

Osteopenia

Papanek PE. The female athlete triad: an emerging role for physical therapy. 33(10):594-614.

Outcome Measures

Childs JD, Fritz JM, Piva SR, Erhard RE. Clinical decision making in the identification of patients likely to benefit from spinal manipulation: a traditional versus an evidence-based approach. 33(5):259-272.

Clifford SN, Fritz JM. Children and adolescents with low back pain: a descriptive study of physical examination and outcome measurement. 33(9):513-522.

Hart DL. Test-retest reliability of an abbreviated self-report overall health status measure. 33(12):734-744.

Resnik L, Dobrzykowski E. Guide to outcomes measurement for patients with low back pain syndromes. 33(6):307-316; discussion 317-318.

Patellofemoral Joint

Bizzini MB, Childs JD, Piva SR, Delitto A. Systematic review of the quality of randomized controlled trials for patellofemoral pain syndrome. 33(1):4-20.

Gross MT, Foxworth JL. The role of foot orthoses as an intervention for patellofemoral pain. 33(11):661-670.

Lee TQ, Morris G, Csintalan RP. The influence of tibial and femoral rotation on patellofemoral contact area and pressure. 33(11):686-693.

Livingston LA, Mandigo JL. Bilateral rearfoot asymmetry and anterior knee pain syndrome. 33(1):48-55.

Lloyd Ireland M, Willson JD, Ballantyne BT, McClay Davis I. Hip strength in females with and without patellofemoral pain. 33(11):671-676.

Powers CM. The influence of altered lower-extremity kinematics on patellofemoral joint dysfunction: a theoretical perspective. 33(11):639-646.

Powers CM, Ward SR, Fredericson M, Guillet M, Shellock FG. Patellofemoral kinematics during weight-bearing and non-weight-bearing knee extension in persons with lateral subluxation of the patella: a preliminary study. 33(11):677-685.

Sugden CL, Landel RF, Powers CM. Management of patellofemoral pain targeting hip, pelvis, and trunk muscle function: 2 case reports. 33(11):647-660.

Wilson T, Carter N, Thomas G. A multicenter, single-masked study of medial, neutral, and lateral patellar taping in individuals with patellofemoral pain syndrome. 33(8):437-443; discussion 444-448.

Plantar Fasciitis

Allen RH, Gross MT. Toe flexors strength and passive extension range of motion of the first metatarsophalangeal joint in individuals with plantar fasciitis. 33(8):468-478.

Cheing GL, Chang H. Extracorporeal shock wave therapy. 33(6):337-343.

Proprioception

Preuss R, Grenier S, McGill S. The effect of test position on lumbar spine position sense. 33(2):73-78.

Refshauge KM, Kilbreath SL, Raymond J. Deficits in detection of inversion and eversion movements among subjects with recurrent ankle sprains. 33(4):166-173; discussion 173-176.

Psychology

Cho CY, Hwang IS, Chen CC. The association between psychological distress and musculoskeletal

symptoms experienced by Chinese high school students. 33(6):344-353.

Reliability

Hart DL. Test-retest reliability of an abbreviated self-report overall health status measure. 33(12):734-744.

Hayes KW, Petersen CM. Reliability of classifications derived from Cyriax's resisted testing in subjects with painful shoulders and knees. 33(5):235-246.

Karagiannopoulos C, Sitler M, Michlovitz S. Reliability of 2 functional goniometric methods for measuring forearm pronation and supination active range of motion. 33(9):523-531.

Petrone MR, Guinn JK, Reddin A, Sutlive TG, Flynn TW, Garber MP. The accuracy of the Palpation Meter (PALM) for measuring pelvic crest height difference and leg length discrepancy. 33(6):319-325.

Tamari K, Tinley P. A new concept of estimating tibiofibular torsion: an in vivo reliability study. 33(2):85-90.

Van Dillen LR, Sahrmann SA, Norton BJ, Caldwell CA, McDonnell MK, Bloom NJ. Movement system impairment-based categories for low back pain: stage 1 validation. 33(3):126-142.

Resistance Training

Baxter RE, Moore JH. Diagnosis and treatment of acute exertional rhabdomyolysis. 33(3):104-108.

Baxter RE, Moore JH, Pendergrass TL, Crowder TA, Lynch S. Improvement in sit-up performance associated with 2 different training regimens. 33(1):40-47.

Fitzgerald GK, Piva SR, Irrgang JJ. A modified neuromuscular electrical stimulation protocol for quadriceps strength training following anterior cruciate ligament reconstruction. 33(9):492-501.

LaStayo PC, Woolf J, Lewek MD, Snyder-Mackler L, Reich T, Lindstedt SL. Eccentric muscle contractions: their contribution to injury, prevention, rehabilitation, and sport. 33(10):557-571.

Parker MG, Bennett MJ, Hieb MA, Hollar AC, Roe AA. Strength response in human quadriceps femoris muscle during 2 neuromuscular electrical stimulation programs. 33(12):719-726.

Rhabdomyolysis

Baxter RE, Moore JH. Diagnosis and treatment of acute exertional rhabdomyolysis. 33(3):104-108.

Scapula

Koslow PA, Prosser LA, Strony GA, Suchecki SL, Mattingly GE. Specificity of the lateral scapular slide test in asymptomatic competitive athletes. 33(6):331-336.

Smith Jr. R, Nyquist-Battie C, Clark M, Rains J. Anatomical characteristics of the upper serratus anterior: cadaver dissection. 33(8):449-454.

Serratus Anterior

Ekstrom RA, Donatelli RA, Soderberg GL. Surface electromyographic analysis of exercises for the trapezius and serratus anterior muscles. 33(5):247-258.

Smith Jr. R, Nyquist-Battie C, Clark M, Rains J. Anatomical characteristics of the upper serratus anterior: cadaver dissection. 33(8):449-454.

Shoulder

Ekstrom RA, Donatelli RA, Soderberg GL. Surface electromyographic analysis of exercises for the trapezius and serratus anterior muscles. 33(5):247-258.

Godges JJ, Mattson-Bell M, Shah D. The immediate effects of soft tissue mobilization with proprioceptive neuromuscular facilitation on glenohumeral external rotation and overhead reach. 33(12):713-718.

Hayes KW, Petersen CM. Reliability of classifications derived from Cyriax's resisted testing in subjects with painful shoulders and knees. 33(5):235-246.

Koslow PA, Prosser LA, Strony GA, Suchecki SL, Mattingly GE. Specificity of the lateral scapular slide test in asymptomatic competitive athletes. 33(6):331-336.

Mitchell K, Banks S, Morgan D, Sugaya H. Shoulder motions during the golf swing in male amateur golfers. 33(4):196-203.

Reinold MM, Wilk KE, Hooks TR, Dugas JR, Andrews JR. Thermal-assisted capsular shrinkage of the glenohumeral joint in overhead athletes: a 15- to 47-month follow-up. 33(8):455-467.

Uhl TL, Carver TJ, Mattacola CG, Mair SD, Nitz AJ. Shoulder musculature activation during upper extremity weight-bearing exercise. 33(3):109-117.

Shoulder Instability

Reinold MM, Wilk KE, Hooks TR, Dugas JR, Andrews JR. Thermal-assisted capsular shrinkage of the glenohumeral joint in overhead athletes: a 15- to 47-month follow-up. 33(8):455-467.

Stairs

Houck JR, Lerner A, Gushue D, Yack HJ. Self-reported giving-way episode during a stepping-down task: case report of a subject with an ACL-deficient knee. 33(5):273-282; discussion 283-286.

Stress Fracture

Papanek PE. The female athlete triad: an emerging role for physical therapy. 33(10):594-614.

Stretching

de Weijer VC, Gorniak GC, Shamus E. The effect of static stretch and warm-up exercise on hamstring length over the course of 24 hours. 33(12):727-733.

Youdas JW, Krause DA, Egan KS, Therneau TM, Laskowski ER. The effect of static stretching of the calf muscle-tendon unit on active ankle dorsiflexion range of motion. 33(7):408-417.

Taping

DeLeo AT, Woodzell WW, Snyder-Mackler L. Resident's case problem: diagnosis and treatment of posterolateral instability in a patient with lateral collateral ligament sprain. 33(4):185-191; discussion 191-195.

Vicenzino B, Brooksbank J, Minto J, Offord S, Paungmali A. Initial effects of elbow taping on pain-free grip strength and pressure pain threshold. 33(7):400-407.

Wilson T, Carter N, Thomas G. A multicenter, single-masked study of medial, neutral, and lateral patellar taping in individuals with patellofemoral pain syndrome. 33(8):437-443; discussion 444-448.

Tennis

Ellenbecker TS, Roetert EP. Isokinetic profile of elbow flexion and extension strength in elite junior tennis players. 33(2):79-84.

Thumb

Neumann DA, Bielefeld T. The carpometacarpal joint of the thumb: stability, deformity, and therapeutic intervention. 33(7):386-399.

Triathlon

Burns J, Keenan AM, Redmond AC. Factors associated with triathlon-related overuse injuries. 33(4):177-184.

Treadmill

Langford BJ, Jones EM, Cowan JE, Hollingsworth DJ, Deyle GD, Douglas III SC, Allison SC. The effects of treadmill type on heart rate and pain threshold velocity in individuals with lower-extremity musculoskeletal pain. 33(9):532-537.

Upper Extremity

Baxter RE, Moore JH. Diagnosis and treatment of acute exertional rhabdomyolysis. 33(3):104-108.

Ekstrom RA, Donatelli RA, Soderberg GL. Surface electromyographic analysis of exercises for the trapezius and serratus anterior muscles. 33(5):247-258.

Ellenbecker TS, Roetert EP. Isokinetic profile of elbow flexion and extension strength in elite junior tennis players. 33(2):79-84.

Karagiannopoulos C, Sitler M, Michlovitz S. Reliability of 2 functional goniometric methods for measuring forearm pronation and supination active range of motion. 33(9):523-531.

Koslow PA, Prosser LA, Strony GA, Suchecki SL, Mattingly GE. Specificity of the lateral scapular slide test in asymptomatic competitive athletes. 33(6):331-336.

Mitchell K, Banks S, Morgan D, Sugaya H. Shoulder motions during the golf swing in male amateur golfers. 33(4):196-203.

Neumann DA, Bielefeld T. The carpometacarpal joint of the thumb: stability, deformity, and therapeutic intervention. 33(7):386-399.

Reinold MM, Wilk KE, Hooks TR, Dugas JR, Andrews JR. Thermal-assisted capsular shrinkage of the glenohumeral joint in overhead athletes: a 15- to 47-month follow-up. 33(8):455-467.

Smith Jr. R, Nyquist-Battie C, Clark M, Rains J. Anatomical characteristics of the upper serratus anterior: cadaver dissection. 33(8):449-454.

Uhl TL, Carver TJ, Mattacola CG, Mair SD, Nitz AJ. Shoulder musculature activation during upper extremity weight-bearing exercise. 33(3):109-117.

Vicenzino B, Brooksbank J, Minto J, Offord S, Paungmali A. Initial effects of elbow taping on pain-free grip strength and pressure pain threshold. 33(7):400-407.

Ultrasound

Merrick MA, Bernard KD, Devor ST, Williams MJ. Identical 3-MHz ultrasound treatments with different devices produce different intramuscular temperatures. 33(7):379-385.